

# ANNUAL INDEX

## Volume 16

1981

## Authors

### A

- ACKMAN, R.G. See J.-L. Sebedio  
ADLER, J.H. See M.A. Gealt  
AEBERHARD, E.E., M.G. de Lema and D.I.H. Bronia, Biosynthesis of fatty acids by *Trypanosoma cruzi*, 623  
M. Gan-Elepano and J.F. Mead, Metabolism of fatty acids in rat brain microsomal membranes, 705  
See M. Gan-Elepano  
AGRADI, E. See C. Galli  
AKINO, T. See K. Itoh  
ALAVI, M. See E.F. Stange  
ALBANO, E. See M.U. Dianzani  
ALEJENDRE, M.J. See H. Ramirez  
ANDO, S. See T. Hosokawa  
ANDREEV, St. See S. Popov  
ANGELICO, M. See A. Cantafara  
ANGELIN, B. See B.E. Gustafsson  
APPLEWHITE, T.H., Letter to the editor, 703  
ARNESON, R.M., J.L. Hinds and J.D. Wander, Antioxidants in neoplastic cells: IV. Evidence that the phenolic antioxidant A274 is 9-(4-hydroxyphenyl)-xanthene, an artifact in tissue culture media, 82  
ARUMUGHAN, C., and K.M. Narayanan, Influence of stage of lactation on the triacylglycerol composition of buffalo milk fat, 155  
ASHWELL, M., and C.J. Meade, Obesity: Can some fat cells enlarge while others are shrinking? 475  
ATTILI, A.F. See A. Cantafara

### B

- BAAB, P.J. See W.D. Reed  
BACH, A., H. Schirardin, M. Bauer, A. Schaeffer and A. Weryha, Age-related changes in biological parameters in Zucker rats, 841  
BAKER, N., J. Mead, Jr., and R. Kannan, Hepatic contribution to newly made fatty acids in adipose tissue in rats and inhibition of hepatic and extrahepatic lipogenesis from glucose by dietary corn oil, 568  
BALDWIN, J.R. See R.C. Cavestri  
BALINT, J.A., E.C. Kyriakides and D.A. Beeler, Desaturation of endogenous and exogenous palmitate in lung tissue in vitro, 767  
BANSAL, V.S. See G.K. Khuller

- BAUER, J.E. See E.G. Perkins  
BAUER, M. See A. Bach  
BECK, W. See W.L. Erdahl  
BECKMAN, J.K., K. Owens and W.B. Weglicki, Endogenous lipolytic activities during autolysis of highly enriched hepatic lysosomes, 796  
BEELER, D.A. See J.A. Balint  
BELL, F.P., and E.V. Hubert, Inhibition of LCAT in plasma from man and experimental animals by chlorpromazine, 815  
BELL-QUINT, J.J. See T.M. Forte  
BERENBERG, C.J., and G.W. Patterson, The relationship between dietary phytosterols and the sterols of wild and cultivated oysters, 276  
BEYNEN, A.C., A.J. van der Molen and M.J.G. Geelen, Inhibition of hepatic cholesterol biosynthesis by chloroquine, 472  
BHASKAR, A. See J.N. Kolhe  
BIERI, J.G., and T.J. Tolliver, On the occurrence of  $\alpha$ -tocopherolquinone in rat tissue, 777  
BISHOP, C.A. See W.S. Hancock  
BJORKEM, I. See B.E. Gustafsson  
BLOMQUIST, G.J. See L.A. Dwyer  
BOEYNAEMS, J.M., D. Reagan and W.C. Hubbard, Lactoperoxidase-catalyzed iodination of arachidonic acid: Formation of macrolides, 246  
J.-T. Watson, J.A. Oates and W.C. Hubbard, Iodination of docosahexaenoic acid by lactoperoxidase and thyroid gland in vitro: Formation of an iodolactone, 323  
BONNER, D.P. See C.P. Schaffner  
BORGSTRÖM, B. See M. Lindström  
BOTTINO, N.B. See M.L. Lilly  
BOUHOURS, D. See J.-F. Bouhours  
BOUHOURS, J.-F., and D. Bouhours, Ceramide structure of sphingomyelin from human milk fat globule membrane, 726  
BRACCI, F. See A. Cantafara  
BRADY, U.E. See R.E. Worthington  
BRENNER, R.R. See R.J. Pollero  
BRETON, J.-C. See H. Rabinovitch  
BRILL, D.R. See C.P. Schaffner  
BRINGI, N.V. See J.N. Kolhe  
BRONIA, D.I.H. See E.E. Aeberhard  
BURTON, G.W., K.U. Ingold and K.E. Thompson, Letter to the editor: An improved procedure for the isolation of ghost membranes from human red blood cells, 946

## C

- CABOT, M.C., and C.R. Goucher, Chaulmoogric acid: Assimilation into the complex lipids of mycobacteria, 146
- CAND, F. See P. Cuchet
- CAPELLA, P. See G. Lercher
- CAPOCACCIA, L. See A. Cantafora
- CANTAFORA, A., M. Angelico, A. Di Biase, U. Piéche, F. Bracci, A.F. Attili and L. Capocaccia, Structure of biliary phosphatidylcholine in cholesterol gallstone patients, 589
- CASTRO-MAGANA, M. See S. Clejan
- CAVESTRI, R.C., J.A. Minatelli, J.R. Baldwin, W. Loh, D.R. Feller, H.A.I. Newman, C.L. Sober and D.T. Witiak, Antilipidemic activity of 4-oxo-functionalized ethyl 6-chlorochroman-2-carboxylate analogs and a related tricyclic lactone in three rat models, 30
- CHAN, C.H. See J.L. James
- CHANDRASEKHARA RAO, T. See G. Gowrikumar
- CHANG, F.C. See T. Iida
- CHANG, J.-H.S., C.R. Vogt, G.Y. Sun and A.Y. Sun, Effects of acute administration of chlorinated water on liver lipids, 336
- CHANMUGAN, P. See D.H. Hwang
- CHENG, F. See T.M. Forte
- CHERAYIL, G.D., K.S. Scaria, G.T. Hensley and W.H. Elliott, Abnormal lipid composition of fat tissue in human mesenteric panniculitis, 199
- CHIARPOTTO, E. See M.U. Dianzani
- CHIU, P.-L., and G.W. Patterson, Quantitative estimation of C-24 epimeric sterol mixtures by 220 MHz nuclear magnetic resonance spectroscopy, 203
- CHOPRA, A. See G.K. Khuller
- CLARKE, S.D., and B.L. Hillard, Suppression of hepatocyte fatty acid synthesis by albumin-bound linoleate involves depolymerization of acetyl-CoA carboxylase filaments, 207
- CLAUSEN, J. See G.E. Jensen
- CLAWSON, G.A. See J.L. James
- CLEJAN, S., V.T. Maddaiah, M. Castro-Magana and P.J. Collipp, Zinc deficiency-induced changes in the composition of microsomal membranes and in the enzymatic regulation of glycerolipid synthesis, 454
- CLELAND, L. See A.B.R. Thomson
- COHEN, B.I. See D. Kritchevsky
- COLLIPP, P.J. See S. Clejan
- COMBE, N., M.J. Constantin and B. Entressangles, Lymphatic absorption of nonvolatile oxidation products of heated oils in the rat, 8
- CONSTANTIN, M.J. See N. Combe
- CONTE, L.S. See G. Lercher
- COOK, H.W., The influence of *trans*-acids on desaturation and elongation of fatty acids in developing brain, 920  
See R.M. Hamilton
- CORNATZER, W.E. See D.R. Hoffman
- CROON, L.-B. See A. Kornfeldt
- CROUT, R.J. See J.R. Gilbertson
- CSENGERI, I. See T. Farkas
- CUCHET, P., C. Morrier, F. Cand and C. Keriel, Effects of clofibrate and tiadenol on the elimination of lipids and bile acids in rat bile, 732

- CUNNANE, S.C., and K.W.J. Wahle, Zinc deficiency increases the rate of  $\Delta^6$  desaturation of linoleic acid in rat mammary tissue, 771
- CZARNECKI, S.K. See J.A. Story

## D

- DANIEL, L.W., M. Waite, L.S. Kucera, L. King and I. Edwards, Phospholipid synthesis in human embryo fibroblasts infected with herpes simplex virus type 2, 655
- DAVIDSON, L.M. See D. Kritchevsky
- DE ANTUENO, R.J. See O. Mercuri
- DECHATELET, L.R. See C.E. Walsh
- DECLOEDT, M. See A.M. Massart-Leen
- DE LEMA, M.G. See E.E. Aeberhard
- DEMEL, R.A. See W.S.M. Geurts van Kessel
- DEMPSEY, M.E. See M.J. Koroly
- DEPOOTER, H. See A.M. Massart-Leen
- DE RENOBLES, M. See L.A. Dwyer
- DESFARGES, M.-F. See C. Leger
- DESMETH, M., and J. Vandeputte-Poma, Phospholipids and component fatty acids of the pigeon liver, 700
- DE TOMÁS, M.E. See O. Mercuri
- DHOPESHWARKER, G.A., and C. Subramanian, Lack of catabolism on brain cholesterol, 389  
See F.L. Hoch  
See C.E. Moore
- DIANZANI, M.U., G. Poli, E. Gravela, E. Chiarpotto and E. Albano, Influence of lipid peroxidation on lipoprotein secretion by isolated hepatocytes, 823
- DI BIASE, A. See A. Cantafora
- DITSCHUNEIT, H. See E.F. Stange
- DJERASSI, C. See R.D. Walkup
- DO, U.H., and P.T. Pei, Separation of molecular species of ceramides as benzoyl and *p*-nitrobenzoyl derivatives by high performance liquid chromatography, 855
- DOMNAS, A.J. See S.A. Warner
- DOWNEY, J.E. See R.E. Litov
- DOWNING, D.T. See M.E. Stewart
- DUNN, J.J. See F.A. Rutledge II
- DURAND, E.F. See J.E. Tulliez
- DURAND, J. See H. Rabinovitch
- DUTKY, S.R. See M.J. Thompson
- DWYER, L.A., M. de Renobles and G.J. Blomquist, Biosynthesis of (Z,Z)-6,9-heptacosadiene in the American cockroach, 810

## E

- EDELSTEIN, C. See D. Polacek
- EDWARDS, I. See L.W. Daniel
- EINARSSON, K. See B.E. Gustafsson
- EL-HAMDY, A.H. See E.G. Perkins
- ELLIOTT, C.G., and B.A. Knights, Differential metabolism of cholesterol and sitosterol by *Phytophthora cactorum*, 142  
and B.A. Knights, Uptake and interconversion of cholesterol and cholesteryl esters by *Phytophthora cactorum*, 1
- ELLIOTT, W.H. See G.D. Cherayil

- EMKEN, E.A. See A.C. Lanser  
 ENTRESSANGLES, B. See N. Combe  
 ERDAHL, W.L., W. Beck, C. Jones, D.E. Jarvis and  
 O.S. Privett, Determination of fatty acid composition  
 via chemical ionization-mass spectrometry,  
 614  
 ERDMAN, J.W., Jr. See L.E. Gerber

## F

- FARKAS, T., and J.C. Nevenzel, Temperature acclimation in the crayfish: Effects on phospholipid fatty acids, 341  
 K. Kariko and I. Csengeri, Incorporation of [ $^{14}\text{C}$ ]-acetate into fatty acids of the crustaceans *Daphnia magna* and *Cyclops strenus* in relation to temperature, 418  
 FARNHAM, W.F. See W.M. Grogan  
 FELLER, D.R. See R.C. Cavestri  
 See M. O'Brien  
 FENG, P., B.A. Vick and D.C. Zimmerman, Formation of  $\alpha$ -ketols from 13- and 9-hydroperoxidase of linolenic acid by flaxseed hydroperoxide isomers, 377  
 FERRETTI, A., N.W. Schoene and V.P. Flanagan, Identification and quantification of prostaglandin  $\text{E}_2$  in renal medullary tissue of three strains of rats fed fish oil, 800  
 See N.W. Schoene  
 FIORE, D. See N.W. Schoene  
 FITZPATRICK, D. See R.I. Grove  
 FLANAGAN, V.P. See A. Ferretti  
 FORTE, T.M., J.J. Bell-Quint and F. Cheng, Lipoproteins of fetal and newborn calves and adult steer: A study of developmental changes, 240  
 FRANKEL, E.N., W.E. Neff and E. Selke, Analysis of autoxidized fats by gas chromatography-mass spectrometry: VII. Volatile thermal decomposition products of pure hydroperoxides from autoxidized and photosensitized oxidized methyl oleate, linoleate and linolenate, 279  
 See W.E. Neff  
 FREMONT, L. See C. Leger  
 FREY, C.F. See F.A. Rutledge II  
 FUNES, J., and M. Karel, Free radical polymerization and lipid binding of lysosome reacted with peroxidizing linoleic acid, 347

## G

- GALLI, C., E. Agradi, A. Petroni and E. Tremoli, Differential effects of dietary fatty acids on the accumulation of arachidonic acid and its metabolic conversion through the cyclooxygenase and lipoxygenase in platelets and vascular tissue, 165  
 GANDARIAS, J.M., M. Lacort, B. Ochoa and M. Quiroga, Effect of polyestradiol on lecithin:cholesterol acyltransferase in male and female rats, 449  
 GAN-ELEPANO, M., E. Aeberhard and J.F. Mead, On the mechanisms of fatty acid transformations in membranes, 790  
 See E.E. Aeberhard  
 GARCIA-PEREGRIN, E. See H. Ramirez  
 GARFIELD, S.A. See C.T. Holloway

- GEALT, M.A., J.H. Adler and W.R. Nes, The sterols and fatty acids from purified flagella of *Chlamydomonas*, 133  
 GEE, D.L. See R.E. Litov  
 GEELEN, M.J.G. See A.C. Beynen  
 GERBER, L.E., and J.W. Erdman, Jr., Hyperlipidemia in rats fed renoic acid, 496  
 GEURTS VAN KESSEL, W.S.M., M. Tieman and R.A. Demel, Purification of phospholipids by preparative high pressure liquid chromatography, 58  
 GILBERTSON, J.D. See J.R. Gilbertson  
 GILBERTSON, J.R., R.J. Crout and J.D. Gilbertson, Utilization of polyunsaturated long-chain alcohols by *Clostridium butyricum*, 601  
 GILLESPIE, C.T. See R.M. Hamilton  
 GLAD, G. See S. Stymne  
 GLANCEY, B.M. See M.J. Thompson  
 GLASS, R.L. See C.H. Rahn  
 GLOVER, A.R. See M.J. Thompson  
 GOHEEN, S.C., E.E. Pearson, E.C. Larkin and G.A. Rao, The prevention of alcoholic fatty liver using dietary supplements: Dihydroxyacetone, pyruvate and riboflavin compared to arachidonic acid in pair-fed rats, 43  
 GOLDSTEIN, N.I. See C.P. Schaffner  
 GOLDSTEIN, P. See G.S. Sundaram  
 GOMOLINSKI, E. See J.A. Story  
 GONZALES, R.A., and L.W. Parks, Lack of specificity in accumulation of sterols by *Phytophthora cactorum*, 384  
 GOPALAKRISHNA, G.S. See C.T.L. Huang  
 GOSWAMI, S.K., and J.E. Kinsella, A nondestructive spray reagent for the detection of prostaglandins and other lipids on thin layer chromatograms, 759  
 GOTTO, A.M. See W.S. Hancock  
 GOUCHER, C.R. See M.C. Cabot  
 GOWRIKUMAR, G., V.V.S. Mani, T. Chandrasekhara Rao, T.N.B. Kaimal and G. Lakshminarayana, *Diplocyclos palmatus* L.: A new seed source of punicic acid, 558  
 GRAHAM, M.S. See S.A. Warner  
 GRAVELA, E. See M.U. Dianzani  
 GROGAN, W.M., Distribution of long chain polyenoic acids among phospholipids of mouse testis, 940  
 W.F. Farnham and B.A. Szopiak, Long chain polyenoic acid levels in viably sorted, highly enriched mouse testis cells, 401  
 GROS, E.G. See R.J. Pollero  
 GROVE, R.I., D. Fitzpatrick and S.D. Schimmel, Effect of  $\text{Ca}^{++}$  on triphosphoinositide extraction in fusing myoblasts, 691  
 GUSTAFSSON, B.E., B. Angelin, I. Bjorkem, K. Einarsson and J.-A. Gustafsson, Effects of feeding chenodeoxycholic acid on metabolism of cholesterol and bile acids in germ-free rats, 228  
 GUSTAFSSON, J.-A. See B.E. Gustafsson

## H

- HAHN, S. See P. Oster  
 HALE, J.E., and F. Schroeder, Phase behavior of triolein and tripalmitin detected by differential scanning calorimetry, 805  
 HAMILTON, J.G. See M.M. Mathias  
 HAMILTON, R.M., C.T. Gillespie and H.W. Cook,

- Relationships between levels of essential fatty acids and zinc in plasma of cystic fibrosis patients, 374
- HANCOCK, W.S., C.A. Bishop, A.M. Gotto, D.R.K. Harding, S.M. Lamplugh and J.T. Sparrow, Separation of the apoprotein components of human very low density lipoproteins by ion-paired, reversed-phase high performance liquid chromatography, 250
- HANING, J.A. See D.R. Hoffman
- HANSEN, H.S., Essential fatty acid supplemented diet increases renal excretion of prostaglandin  $E_2$  and water in essential fatty acid deficient rats, 849
- HANSON, D. See P. Smith-Barbaro
- HARDING, D.R.K. See W.S. Hancock
- HARKES, L. See A.H.M. Terpstra
- HEFTMANN, E. See W.D. Nes
- HENDREN, D.J. See E.G. Perkins
- HENSLEY, G.T. See G.D. Cherayil
- HEUCK, C.C. See P. Oster
- HIBASAMI, H. See J. Nagai
- HICKMAN, D.M. See F.A. Rutledge II
- HILLARD, B.L. See S.D. Clarke
- HINDS, J.L. See R.M. Arneson
- HIROTA, Y. See J. Terao
- HITCHCOCK, H.L. See R.E. Worthington
- HOCH, F.L., C. Subramanian, G.A. Dhopeswarker and J.F. Mead, Thyroid control over biomembranes: VI. Lipids in liver mitochondria and microsomes of hypothyroid rats, 328
- HOFFMAN, D.R., and W.E. Cornatzer, Microsomal phosphatidylethanolamine methyltransferase: Some physical and kinetic properties, 533
- J.A. Haning and W.E. Cornatzer, Microsomal phosphatidylethanolamine methyltransferase: Inhibition by S-adenosylhomocysteine, 561
- HOLLOWAY, C.T., and S.A. Garfield, Effect of diabetes and insulin replacement on the lipid properties of hepatic smooth endoplasmic reticulum, 525
- HOLMAN, R.T. See T. Riisom
- HØLMER, G. See C.-E. Høy
- HORNICK, R.B. See C.T.L. Huang
- HOSOKAWA, T., M. Sawada, K. Ando and G. Tamura, Alteration of cholesterol metabolism by 4-0-methylascorbinol in rats, 433
- HOSPATTANKAR, A.V., and N.S. Radin, A 2-phase liquid scintillation assay for glycolipid synthetases, 764
- HØY, C.-E., and G. Hølmér, Incorporation of *cis*-octadecenoic acids into the rat liver mitochondrial membrane phospholipids and adipose tissue triglycerides, 102
- HSIEH, J.Y.-K., D.K. Welch and J.G. Turcotte, High pressure liquid chromatographic separation of molecular species of phosphatidic acid dimethyl esters derived from phosphatidylcholine, 761
- HUANG, C. See J.T. Mason
- See W. Wu
- HUANG, C.T.L., M.M. Levine, W.E. Woodward, G.S. Gopalakrishna, D.R. Nalin, R.B. Hornick and B.L. Nichols, Biohydrogenation of cholesterol as an index of bacterial 7 $\alpha$ -dehydroxylase activity, 670
- HUBBARD, W.C. See J.M. Boeynaems
- HUBERT, E.V. See F.P. Bell
- HWANG, D.H., P. LeBlanc and P. Chanmugan, In vitro and in vivo effects of ethanol on the formation of endoperoxide metabolites in rat platelets, 583
- I
- ICHINOSE, T. See M. Sagai
- IFFT, K.H. See E.A. Ulman
- IIDA, T., H.R. Taneja and F.C. Chang, Potential bile acid metabolites: IV. Inversion of 7 $\alpha$ -hydroxyl ursodeoxycholic acid, 863
- IKEDA, T. See J. Nagai
- IMAI, Y. See H. Kawaguchi
- INGOLD, K.U. See G.W. Burton
- ISHIBASHI, T. See H. Kawaguchi
- ITABASHI, Y. See T. Takagi
- ITO, K., M. Nakamura and T. Akino, Comparison of phospholipid profiles of primary adenocarcinoma in the lung and other organs, 876
- J
- JAMDAR, S.C., and L.J. Osborne, Glycerolipid biosynthesis in rat adipose tissue: VIII. Effect of obesity and cell size on [ $^{14}$ C]acetate incorporation into lipids, 830
- JAMES, J.L., G.A. Clawson, C.H. Chan and E.A. Smuckler, Analysis of the phospholipid of the nuclear envelope and endoplasmic reticulum of liver cells by high pressure liquid chromatography, 541
- JAMIESON, G.C. See R.D. Walkup
- JARVIS, D.E. See S.L. Erdahl
- JEFFERY, F. See T.G. Redgrave
- JENSEN, G.E., and J. Clausen, Subcellular distribution of the cytochrome P-450 complex and glutathione peroxidase activity in vitamin E and essential fatty acid deficiency, 137
- JONES, C. See W.L. Erdahl
- K
- KAIMAL, T.N.B. See G. Gowrikumar
- KAKO, K.J., and S.D. Peckett, Effect of high fat/high erucic acid diet on phosphatidate synthesis and phosphatidate phosphatase in the subcellular fractions of rat heart and liver, 23
- KANDUTSCH, A.A. See H.W. Kircher
- KANNAN, R. See N. Baker
- KAREL, M. See J. Funes
- KARI, F.W. See E.A. Ulman
- KARIKO, K. See T. Farkas
- KATES, M. See S.C. Kushwaha
- KAWAGUCHI, H., T. Ishibashi and Y. Imai, Thromboxane  $B_2$  biosynthesis and phospholipids hydrolysis in platelets from hypercholesterolemic rabbits, 37
- KAWAKATSU, M. See J. Terao
- KERIEL, C. See P. Cuchet
- KHULLER, G.K., A. Chopra, V.S. Bansal and R. Masih, Lipids of dermatophytes, 20
- KING, L. See L.W. Daniel
- KINSELLA, J.E. See S.K. Goswami

- See C.H. Tsai
- KIRCHER, H.W., F.U. Rosenstein and A.A. Kandsch, Lethal effect of *cis*- but not *trans*-22-dehydrocholesterol on mouse fibroblast cells, 943
- KNIGHTS, B.A. See C.G. Elliott
- KOCHANSKY, J. See M.J. Thompson
- KOKRADY, S.S. See M. O'Brien
- KOLHE, J.N., A. Bhaskar and N.V. Bringi, Occurrence of 3-keto triterpenes in the unsaponifiable matter of sal (*Shorea robusta*) seed fat, 775
- KORNFELDT, A., and L.-B. Croon, 4-Demethyl-, 4-monomethyl- and 4,4-dimethylsterols in some vegetable oils, 306
- KOROLY, M.J., and M.E. Dempsey, Synthesis of  $\Delta^{5,22}$ -cholestadien-3 $\beta$ -ol from  $\Delta^{5,7,22}$ -cholestatrien-3 $\beta$ -ol by a liver enzyme, 755
- KOVACHEV, G. See S. Popov
- KRICK, T.P. See C.H. Rahn
- KRITCHEVSKY, D., L.M. Davidson, E.H. Mosbach and B.I. Cohen, Identification of acidic sterols in feces of monkeys fed  $\beta$ -sitosterol, 77
- See F. Manganaro
- See J.A. Story
- KUBOTA, K. See M. Sagai
- KUCERA, L.S. See L.W. Daniel
- KUKSIS, A. See F. Manganaro
- KUSHWAHA, S.C., and M. Kates, Letter to the editor: Modification of phenol-sulfuric acid method for the estimation of sugars in lipids, 372
- KYRIAKIDES, E.C. See J.A. Balint
- L**
- LACORT, M. See J.M. Gandarias
- LAKSHMINARAYANA, G. See G. Gowrikumar
- LAMPLUGH, S.M. See W.S. Hancock
- LANESE, R.R. See M. O'Brien
- LANSER, A.C., and E.A. Emken, Competitive deposition of *trans*-12- and *cis*-9-octadecenoates into egg yolk lipids, 15
- LANZA, E., and H.T. Slover, Letter to the editor, 704
- and H.T. Slover, The use of SP2340 glass columns for the estimation of the *trans* fatty acid content of foods, 260
- LARKIN, E.C. See S.C. Goheen
- LARSSON, K. See M. Lindström
- LEBLANC, P. See D.H. Hwang
- LEE, T.-C., and F. Snyder, Phase transition of an unnatural analog of phosphatidylcholine: Phosphatidyl-N-isopropylethanolamine, 75
- LEGER, C., L. Fremont, D. Marion, I. Nassour and M.-F. Desfarges, Essential fatty acids in trout serum lipoproteins, vitellogenin and egg lipids, 593
- LERCKER, G., P. Capella, L.S. Conte and F. Ruini, Components of royal jelly: I. Identification of the organic acids, 912
- LEVINE, M.M. See C.T.L. Huang
- LICHTENBERG, D., and C.F. Schmidt, Molecular packing and stability in the gel phase of curved phosphatidylcholine vesicles, 555
- LILLY, M.L., and N.R. Bottino, Identification of arachidonic acid in Gulf of Mexico shrimp and degree of biosynthesis in *Penaeus setiferus*, 871
- LINDSTRÖM, M., H. Ljusberg-Wahren, K. Larsson and B. Borgström, Aqueous lipid phases of relevance to intestinal fat digestion and absorption, 749
- LITOV, R.E., D.L. Gee, J.E. Downey and A.L. Tappel, The role of lipid peroxidation during chronic and acute exposure to ethanol as determined by pentane expiration in the rat, 52
- LIZADA, M.C.C., and S.F. Yang, Sulfite-induced lipid peroxidation, 189
- LJUSBERG-WAHREN, H. See M. Lindström
- LOFGREN, C.S. See M.J. Thompson
- LOH, W. See R.C. Cavestri
- LONDON, R. See G.S. Sundaram
- LOUIS, J.-C. See D. Montaudon
- M**
- MADDAIAH, V.T. See S. Clejan
- MADHOSINGH, C., and W. Orr, Sterol ester hydrolase in *Fusarium oxysporum*, 125
- MANGANARO, F., J.J. Myher, A. Kuksis and D. Kritchevsky, Acylglycerol structure of genetic varieties of peanut oils of varying atherogenic potential, 508
- MANI, V.V.S. See G. Gowrikumar
- MANIMEKALAI, S. See G.S. Sundaram
- MAREKOV, N. See S. Popov
- MARION, D. See C. Leger
- MARMER, W.N., and R.J. Maxwell, Dry column method for the quantitative extraction and simultaneous class separation of lipids from muscle tissue, 365
- MASIH, R. See G.K. Khuller
- MASON, J.T., and C.-H. Huang, Chain length dependent thermodynamics of saturated symmetric-chain phosphatidylcholine bilayers, 604
- MASSART-LEEN, A.M., H. DePooter, M. Declodt and N. Schamp, Composition and variability of the branched-chain fatty acid fraction in the milk of goats and cows, 286
- MATHIAS, M.M., A.C. Sullivan and J.G. Hamilton, Fatty acid and cholesterol synthesis from specifically labeled leucine by isolated rat hepatocytes, 739
- MATOCHA, M. See G.C. Upreti
- MATSON, R.S. See F.A. Rutledge II
- MATSUSHITA, S. See J. Terao
- MAXWELL, R.J. See W.N. Marmer
- MEAD, J.F. See E.E. Aeberhard
- See N. Baker
- See M. Gan-Elepano
- See F.L. Hoch
- See A. Sevanian
- MEADE, C.J. See M. Ashwell
- MELLORS, A. See G.M. Werchola
- MENDY, F. See H. Rabinovitch
- MERCURI, O., M.E. De Tomás and R.J. de Antueno, In vitro conversion of saturated to monounsaturated fatty acids by Ehrlich ascites cells, 893
- MINATELLI, J.A. See R.C. Cavestri
- MIURA, Y.,  $\omega$ - and ( $\omega$ -1)-Hydroxylation of 1-dodecanol from liver microsomes, 721
- MONTAUDON, D., J.-C. Louis and J. Robert, Phos-

- pholipid acyl group composition in normal and tumoral nerve cells in culture, 293
- MOORE, C.E., and G.A. Dhopeswarker, Positional specificity of *trans* fatty acids in fetal lecithin, 479
- MOREAU, R.A. See X.Y. Wu
- MORIN, R.J. See M.V. Srikantaiah
- MORRIER, C. See P. Cuchet
- MOSEBACH, E.H. See D. Kritchevsky
- See A.K. Singhal
- MUKHOPADHYAY, A. See M. O'Brien
- MYHER, J.J. See F. Manganaro

## N

- NAGAI, J., S. Yokoe, M. Tanaka, H. Hibasami and T. Ikeda, Increased proportion of medium chain fatty acids in nystatin-resistant yeast mutants, 411
- NAIR, P.P. See G.S. Sundaram
- NAKAMURA, M. See K. Itoh
- NALIN, D.R. See C.T.L. Huang
- NARAYANAN, K.M. See C. Arumughan
- NASSOUR, I. See C. Leger
- NEFF, W.E., E.N. Frankel and D. Weisleder, High pressure liquid chromatography of autoxidized lipids: II. Hydroperoxy-cyclic peroxides and other secondary products from methyl linolenate, 439
- See E.N. Frankel
- NEIDERHISER, D.H., Enzymatic formation of cholesterol ester from cholesterol by the gallbladder mucosa, 930
- NES, W.R., G.A. Saunders and E. Heftmann, Metabolic discrimination between cholesterol and  $\beta$ -amylin by *Phytophthora cactorum*, 744
- See M.A. Gealt
- See B.C. Sekula
- NEVENZEL, J.C. See T. Farkas
- NEWMAN, H.A.I. See R.C. Cavestri
- See M. O'Brien
- NGUYEN, N.T. See M.C.M. Yip
- NICHOLS, B.L. See C.T.L. Huang
- NIELSEN, H., Covalent binding of peroxidized phospholipid to protein: III. Reaction of individual phospholipids with different proteins, 215
- NOBLE, N. See M.V. Srikantaiah
- NOBLE, R.C. See J.H. Shand

## O

- OATES, J.A. See J.M. Boeynaems
- O'BRIEN, M., S.T. Patel, A. Mukhopadhyay, H.A.I. Newman, D.R. Feller, S.S. Kokrady, D.T. Witak, R.R. Lanese and J.C. Rice, Hypolipidemic effects of clofibrate and selected chroman analogs in fasted rats: I. Chow-fed animals, 903
- OCHOA, B. See J.M. Gandarias
- ODA, H. See M. Sagai
- O'FLAHERTY, J.T. See C.E. Walsh
- ORENSTEIN, L. See M.V. Srikantaiah
- ORR, W. See C. Madhosingh
- OSBORNE, L.J. See S.C. Jamdar
- OSTER, P., G. Schlierf, C.C. Heuck, S. Hahn, H. Szymanski and B. Schellenberg, Diet and high density lipoproteins, 93
- OSTWALD, R. See F. Sasinowski

- OWENS, K. See J.K. Beckman
- OZAND, P.T. See W.D. Reed

## P

- PARKS, L.W. See R.A. Gonzales
- PATEL, S.T. See M. O'Brien
- PATTERSON, G.W. See C.J. Berenberg
- See P.-L. Chiu
- See S.-I. Teshima
- See R.H. Thompson, Jr.
- PEARSON, E.E. See S.C. Goheen
- PECKETT, S.D. See K.J. Kako
- PEI, P.T. See Un Hoi Do
- PELERAN, J.-C. See J.E. Tulliez
- PERKINS, E.G., D.J. Hendren, J.E. Bauer and A.H. El-Hamdy, High performance reversed-phase chromatography of cholesterol and cholesterol esters of human plasma lipoproteins, 609
- PETRONI, A. See C. Galli
- PIÉCHE, U. See A. Cantafora
- POLACEK, D., C. Edelstein and A.M. Scanu, Rapid fractionation of human serum high density apolipoproteins by high performance liquid chromatography, 927
- POLI, G. See M.U. Dianzani
- POLLERO, R.J., and R.R. Brenner, Effect of the environment and fasting on the lipid and fatty acid composition of *Diplodom patagonicus*, 685
- R.R. Brenner and E.G. Gros, Seasonal changes in lipid and fatty acid composition of the freshwater mollusk, *Diplodom patagonicus*, 109
- POPOV, S., I. Stoilov, N. Marekov, G. Kovachev and St. Andreev, Sterols and their biosynthesis in some freshwater bivalves, 663
- PRECLIK, G. See E.F. Stange
- PRIVETT, O.S. See W.L. Erdahl

## Q

- QUIROGA, M. See J.M. Gandarias

## R

- RABINOVITCH, H., J. Durand, M. Rigaud, F. Mendy and J.-C. Breton, Transformation of arachidonic acid into monohydroxy-eicosatetraenoic acids by mouse peritoneal macrophages, 518
- RADIN, N.S. See A.V. Hospattankar
- RAHN, C.H., D.M. Sand, T.P. Krick, R.L. Glass and H. Schlenk, Syntheses of radioactive furan fatty acid, 360
- RAMIREZ, H., M.J. Alejandre, J.L. Segovia and E. Garcia-Peregrin, Different thermal behavior of neonatal hepatic and cerebral 3-hydroxy-3-methylglutaryl-CoA reductase, 552
- RAO, G.A. See S.C. Goheen
- RATCLIFF, M.R. See R.D. Walkup
- REAGAN, D. See J.M. Boeynaems
- REDGRAVE, T.G., and F. Jeffery, The lipids of kangaroo meat, 626
- REDDY, B.S. See P. Smith-Barbaro



- REED, W.D., G.R. Zielke, P.J. Baab and P.T. Ozand, Ketone bodies, glucose and glutamine as lipogenic precursors in human diploid fibroblasts, 677
- RHEIN, L.D., and J. Sampugna, Myelin subfractions isolated from mouse brain: Analysis of the lipid composition at three developmental stages, 502
- RICE, J.C. See M. O'Brien
- RIGAUD, M. See H. Rabinovitch
- RIISOM, T., and R.T. Holman, Incorporation into lipid classes of products from microsomal desaturation of isomeric *trans*-octadecenoic acids, 647
- ROBBINS, W.E. See M.J. Thompson
- ROBERT, J. See D. Montaudon
- ROSENSTEIN, F.U. See H.W. Kircher
- ROSENTHAL, M.D., Accumulation of neutral lipids by human skin fibroblasts: Differential effects of saturated and unsaturated fatty acids, 173
- RUBINSTEIN, D. See N.B. Smith
- RUINI, F. See G. Lercker
- RUTLEDGE, F.A. II, D.M. Hickman, J.J. Dunn, C.F. Frey and R.S. Matson, Lysophosphatidylcholine acyltransferase activity during experimental cholelithiasis, 714

## S

- SAGAI, M., T. Ichinose, H. Oda and K. Kubota, Studies on biochemical effects of nitrogen dioxide: I. Lipid peroxidation as measured by ethane exhalation of rats exposed to nitrogen dioxide, 64
- SAMPUGNA, J. See L.D. Rhein
- SAND, D.M. See C.H. Rahn
- SASINOWSKI, F., and R. Ostwald, Lipoprotein lipase in cholesterol-fed and control guinea pigs, 380
- SAUNDERS, G.A. See W.D. Nes
- SAWADA, M. See T. Hosokawa
- SCANU, A.M. See D. Polacek
- SCARIA, K.S. See G.D. Cherayil
- SCHAEFFER, A. See A. Bach
- SCHAEFFNER, C.P., D.R. Brill, A.K. Singhal, D.P. Bonner, N.I. Goldstein and G.M. Wang, Absence of cholesterologenesis regulation in the liver and prostate of the BIO 87.20 hamster, 835
- See A.K. Singhal
- SCHAMP, N. See A.M. Massart-Leen
- SCHAUP, H.W. See D.P. Selivonchick
- SCELLENBERG, B. See P. Oster
- SCHIMMEL, S.D. See R.I. Grove
- SCHIRARDIN, H. See A. Bach
- SCHLENK, H. See C.H. Rahn
- SCHLIERF, G. See P. Oster
- SCHMIDT, C.F. See D. Lichtenberg
- SCHNEIDER, A. See E.F. Stange
- SCHOENE, N.W., A. Ferretti and D. Fiore, Production of prostaglandins in homogenates of kidney medullae and cortices of spontaneously hypertensive rats fed menhaden oil, 866
- See A. Ferretti
- SCHROEDER, F. See J.E. Hale
- SEBEDIO, J-L., and R.G. Ackman, Application of methoxy-bromomercuri-adduct fractionation to the analysis of fatty acids of partially hydrogenated marine oils, 461
- SEGOVIA, J.L. See H. Ramirez
- SEKULA, B.C., and W.R. Nes, Metabolism of sterols by anaerobic *Saccharomyces cerevisiae*, 195
- SELIVONCHICK, D.P., J.L. Williams and H.W. Schaub, Alteration of liver microsomal proteins from rainbow trout (*Salmo gairdneri*) fed cyclopropenoid fatty acids, 211
- SELKE, E. See E.N. Frankel
- SEVANIAN, A., R.A. Stein and J.F. Mead, Metabolism of epoxidized phosphatidylcholine by phospholipase A<sub>2</sub> and epoxide hydrolase, 781
- SHAND, J.H., and R.C. Noble, The metabolism of 18:0 and 18:2(n-6) by the ovine placenta at 120 and 150 days of gestation, 68
- SINGHAL, A.K., E.H. Mosbach and C.P. Schaffner, Effect of candicidin on cholesterol and bile acid metabolism in the rat, 423
- See C.P. Schaffner
- SLOVER, H.T., and R.H. Thompson, Jr., Chromatographic separation of the stereoisomers of  $\alpha$ -tocopherol, 268
- See E. Lanza
- See R.H. Thompson, Jr.
- SMITH, N.B., and D. Rubinstein, Exchange of phosphatidylcholine between rabbit erythrocytes and plasma in vivo, 937
- SMITH-BARBARO, P., D. Hanson and B.S. Reddy, Effect of fat and microflora on hepatic, small intestinal and colonic HMG-CoA reductase, cytochrome P<sub>450</sub> and cytochrome B<sub>5</sub>, 183
- SMUCKLER, E.A. See J.L. James
- SNYDER, F. See T.-C. Lee
- SOBER, C.L. See R.C. Cavestri
- SOVOCOL, G.W. See S.A. Warner
- SPARROW, J.T. See W.S. Hancock
- SRIKANTIAH, M.V., N. Noble, L. Orenstein and R.J. Morin, Effect of buffer constituents on rat liver 3-hydroxy-3-methylglutaryl coenzyme A reductase, 934
- STANGE, E.F., A. Schneider, G. Preclik, M. Alavi and H. Ditschuneit, Regulation of 3-hydroxy-3-methylglutaryl CoA reductase by analogs of cholesterol and bile acids in cultured intestinal mucosa, 397
- STEIN, R.A. See A. Sevanian
- STEWART, M.E., and D.T. Downing, Separation of wax esters from steryl esters by chromatography on magnesium hydroxide, 355
- STOILOV, I. See S. Popov
- STORY, J.A., E. Gomolinski, S.K. Czarnecki, S.A. Tepper and D. Kritchevsky, Age-strain interrelations in lipid metabolism of rats, 87
- STUMPF, P.K. See X.Y. Wu
- STYMNE, S., and G. Glad, Acyl exchange between oleoyl-CoA and phosphatidylcholine in microsomes of developing soya bean cotyledons and its role in fatty acid desaturation, 298
- SUBRAMANIAN, C. See G.A. Dhopeswarkar
- See F.L. Hoch
- SULLIVAN, A.C. See M.M. Mathias
- SUN, A.Y. See J.-H.S. Chang
- SUN, G.Y. See J.-H.S. Chang
- SUNDARAM, G.S., R. London, S. Manimekalai, P.P. Nair and P. Goldstein,  $\alpha$ -Tocopherol and serum lipoproteins, 223

SZOPIAK, B.A. See W.M. Grogan  
SZYMANSKI, H. See P. Oster

## T

TAKAGI, T., and Y. Itabashi, Occurrence of mixtures of geometrical isomers of conjugated octadecatrienoic acids in some seed oils: Analysis by open-tubular gas liquid chromatography and high performance liquid chromatography, 546

TAMURA, G. See T. Hosokawa  
TANAKA, M. See J. Nagai  
TANEJA, H.R. See T. Iida  
TAPPEL, A.L. See R.E. Litov  
TEPPER, S.A. See J.A. Story  
TERAO, J., and S. Matsushita, Thiobarbituric acid reaction of methyl arachidonate monohydroperoxide isomers, 98

Y. Hirota, M. Kawakatsu and S. Matsushita, Structural analysis of hydroperoxides formed by oxidation of phosphatidylcholine with singlet oxygen, 427  
TERPSTRA, A.H.M., L. Harkes and F.H. van der Veen, The effect of different proportions of casein in semipurified diets on the concentration of serum cholesterol and the lipoprotein composition in rabbits, 114

TESHIMA, S.-I., and G.W. Patterson, Sterol biosynthesis in the oyster, *Crassostrea virginica*, 234

THEAN, J.E. See R.E. Worthington

THOMAS, M.J. See C.E. Walsh

THOMPSON, K.E. See G.W. Burton

THOMPSON, M.J., B.M. Glancey, W.E. Robbins, C.S. Lofgren, S.R. Dutky, J. Kochansky, R.K. Vandermeer and A.R. Glover, Major hydrocarbons of the postpharyngeal glands of mated queens of the red imported fire ant, *Solenopsis invicta*, 485  
See R.H. Thompson, Jr.

THOMPSON, R.H., Jr., G. Patterson, M.J. Thompson and H.T. Slover, Separation of pairs of C-24 epimeric sterols by glass capillary gas liquid chromatography, 694

See H.T. Slover

THOMSON, A.B.R., and L. Cleland, Intestinal cholesterol uptake from phospholipid vesicles and from simple and mixed micelles, 881

TIEMAN, M. See W.S.M. Geurts van Kessel

TOLLIVER, T.J. See J.G. Bieri

TREMOLI, E. See C. Galli

TSAI, C.H., and J.E. Kinsella, Tissue culture of cocoa bean (*Theobroma cacao* L.): Changes in lipids during maturation of beans and growth of cells and calli in culture, 577

TULLIEZ, J.E., E.F. Durand and J-C. Peleran, Mitochondrial hydroxylation of the cyclohexane ring as a result of  $\beta$ -oxidation blockade of a cyclohexyl substituted fatty acid, 888

TURCOTTE, J.G. See J.Y.K. Hsieh

## U

ULMAN, E.A., K.H. Ifft, F.W. Kari and W.J. Visek, Fatty liver of growing rats fed excess lysine and its prevention by adenine or allopurinol, 393

UN HOI DO. See Do, U.H.

UPRETI, G.C., M. Matocha and R. Wood, Effect of 2-hexadecynoic acid on cultured 7288C hepatoma cells, 315

## V

VANDEPUTTE-POMA, J. See M. Desmeth

VANDERMEER, R.K. See M.J. Thompson

VAN DER MOLEN, A.J. See A.C. Beynen

VAN DER VEEN, F.H. See A.H.M. Terpstra

VICK, B.A. See P. Feng

VIŠEK, W.J. See E.A. Ulman

VOGT, C.R. See J.-H.S. Chang

## W

WAHLE, K.W.J. See S.C. Cunnane

WAITE, M. See L.W. Daniel

See C.E. Walsh

WALKER, B.L., The OV 275-packed stainless steel column in *trans*-fatty acid research: A note of caution, 468

WALKUP, R.D., G.C. Jamieson, M.R. Ratcliff and C. Djerassi, Phospholipid studies of marine organisms: 2. Phospholipids, phospholipid-bound fatty acids and free sterols of the sponge *Aplysina fistularis* (Pallas) forma *fulva* (Pallas) (= *Verongia thiona*). Isolation and structure elucidation of unprecedented branched fatty acids, 631

WALSH, C.E., L.R. Dechatelet, M.J. Thomas, J.T. O'Flaherty and M. Waite, Effect of phagocytosis and ionophores on release and metabolism of arachidonic acid from human neutrophils, 120

WANDER, J.D. See R.M. Arneson

WANG, G.M. See C.P. Schaffner

WARNER, S.A., M.S. Graham, G.W. Sovocool and A.J. Domnas, Alkane contamination of lipids extracted from *Lagenidium giganteum* and *Lagenidium callinectes*, 628

WATSON, J.-T. See J.M. Boeynaems

WEGGLICKI, B. See J.K. Beckman

WEISLEDER, D. See W.E. Neff

WELCH, D.K. See J.Y.K. Hsieh

WERCHOLA, G.M., and A. Mellors, A lysosomal enzyme involved in diphosphatidylglycerol degradation, 149

WERYHA, A. See A. Bach

WILLIAMS, J.L. See D.P. Selivonchick

WILSON, D.M. See R.E. Worthington

WITIAK, D.T. See R.C. Cavestri

See S.S. Kokrady

WOOD, R. See G.C. Upreti

WOODWARD, W.E. See C.T.L. Huang

WORTHINGTON, R.E., U.E. Brady and H.L. Hitchcock, Eicosa-5,11,14-trienoic and octadec-5-enoic acids of the reproductive tract of the male house cricket (*Acheta domestica*) and field cricket (*Gryllus* spp.), 351

U.E. Brady, J.E. Thean and D.M. Wilson, Arachidonic acid: Occurrence in the reproductive tract of the male house cricket (*Acheta domestica*) and field cricket (*Gryllus* spp.), 79



WU, W., and C. Huang, Effect of water mobility on lateral diffusion of phospholipids in liposomes, 820

WU, X.Y., R.A. Moreau and P.K. Stumpf, Studies of biosynthesis of waxes by developing jojoba seed: III. Biosynthesis of wax esters from acyl-CoA and long chain alcohols, 897

## Y

YANG, S.F. See M.C.C. Lizada

YIP, M.C.M., and N.T. Nguyen, The enzymic synthesis of GM1b: Rat-brain CMP-N-acetylneuraminic acid: asialo-GM1 sialyltransferase, 72

YOKOE, S. See J. Nagai

## Z

ZIELKE, H.R. See W.D. Reed

ZIMMERMAN, D.C. See P. Feng

# Subjects

## A

ABSORPTION, fat, monoglyceride-water system, liquid-crystalline phase, 749

lymphatic, heated oil oxidation products in rat, 9

ACETATE, incorporation, cholesterol, liver, prostate, hamster, 835

incorporation, cholesterol, mouse fibroblast cells, 943

incorporation, lipids, adipocytes, cell size, obesity, 830

incorporation, rat lung, fatty acid precursor, 767

[1-<sup>14</sup>C]ACETATE, incorporation into lipids in Crustacea, 418

metabolism by *Trypanosoma cruzi*, 623

ACETOACETATE, from leucine, cholesterol, fatty acid precursor, 739

lipogenesis, human fibroblasts, 677

ACETYL-CoA CARBOXYLASE, filaments, depolymerization, suppression of fatty acid synthesis, 207

rat hepatic, age-strain variation, 87

*Acheta domesticus*. See cricket

ACYLATION, lysophosphatidylcholine, <sup>3</sup>H-16:0, <sup>14</sup>C-18:2, 937

ACYL CoA, preparation from soybean cotyledons, 298

ACYL CoA:ALCOHOL TRANSACYLASE ACTIVITY, jojoba seed homogenates, specificity, stability, 897

ACYL CoA:CHOLESTEROL ACYLTRANSFERASE, formation, guinea pig gallbladder mucosa, 930

ACYLCOENZYME A HYDROLASE, gallbladder, liver, cholelithiasis, 714

ACYLTRANSFERASE, assay, activity in rat heart and liver, effect of diet, 23

ADENINE, effect on body weight in lysine-fed rats, 393

effect on liver lipid in lysine-fed rats, 393

effect on lysine-induced fatty liver in rat, 393

effect on urinary orotate in lysine-fed rats, 393

ADENOCARCINOMA, human tissues, phospholipid cholesterol content profiles, 876

ADENOSINE TRIPHOSPHATE, inhibition of liver lysosomal phosphodiesterase, 149

inhibition, rat liver HMG CoA reductase, 934

S-ADENOSYLHOMOCYSTEINE, inhibition of phosphatidylethanolamine methyltransferase, 561

separation by high performance lipid chromatography, 561

S-ADENOSYLMETHIONINE, separation by high performance liquid chromatography, 561

ADIPOCYTES, cell size, obesity, lipogenesis, 830

ADIPOSE TISSUE, rat, incorporation of *cis*-octadecenoic acids, triglycerides, 102

Zucker rat, age-related changes, 841

ALANINE, precursors, fatty acids, cholesterol, rat hepatocytes, 739

ALBUMIN, complex with malondialdehyde, 215

complex with peroxidized phosphatidylcholine, 215

complex with peroxidized phosphatidylethanolamine, 215

complex with peroxidized phosphatidylserine, 215

inhibition of fatty acid elongation, brain microsomes, 790

ALCOHOLIC FATTY LIVER, prevention in rat using dietary supplements, 43

ALCOHOLS, fatty, transacylation, developing jojoba seeds, 897

long-chain, *Clostridium butyricum*, 601

triterpene, from 3-keto triterpenes, IR, NMR, GC-MS, argentation TLC, 775

ALGA, eukaryotic, sterols and fatty acids of flagella, 133

sterol composition, 276

ALKANES, contamination of fungal lipid extracts, 628

ALK-1-ENYLGLYCERYLETHER DIESTER, fatty acid and alkyl group profile, mesenteric panniculitis, 199

ALKENYL ETHERS, *Clostridium butyricum*, 601

ALKYLATION, cholesterol, freshwater bivalves, 663

1-ALKYLGLYCERYLETHER DIESTER, fatty acid and alkyl group profile, mesenteric panniculitis, 199

ALLOPURINOL, effect on body weight in lysine-fed rats, 393

effect on liver lipid in lysine-fed rats, 393

effect on lysine-induced fatty liver in rat, 393

effect on urinary orotate in lysine-fed rats, 393

ALUMINA COLUMN CHROMATOGRAPHY, purification of neutral lipids, 133

AMINO ACID, analysis in human VLDL C-apoproteins, separation by HPLC, 250

precursors, fatty acids, cholesterol, rat hepatocytes, 739

β-AMYRENONE. See triterpenes, 3-keto

β-AMYRIN, incorporation, esterification in fungus, 744

*Anodonta cygnea*. See bivalves, freshwater

ANTIBIOTIC, candicidin, and sterol metabolism in

- rat, 423
- ANTIOXIDANT**, 9-(4-hydroxyphenyl)xanthene, contaminant in neoplastic cells, 82
- inhibition of sulfite-induced lipid peroxidation, 189
- phenolic, A274 = 9-(4-hydroxyphenyl)xanthene, 82
- ANTILIPIDEMIC ACTIVITY**, 4-oxo-functionalized ethyl 6-chlorochroman-2-carboxylate analogs and tricyclic lactone, rat, 30
- rat, clofibrate-related drugs, 30
- AORTA**, rabbit, phospholipid fatty acid profile, effect of diet, 165
- Aplysina fistularis*. See sponge
- APOLIPOPROTEIN**, high density, human serum, fractionation, HPLC, 927
- APOPROTEINS**, VLDL, separation by HPLC, 250
- C-APOPROTEINS**, separation by HPLC and amino acid analysis, 250
- ARACHIDONATE**, monohydroperoxide isomers, thiobarbituric acid reaction, 98
- photooxidation, monohydroperoxide isomer, formation, 98
- ARACHIDONIC ACID**, in biliary phosphatidylcholine and cholesterol gallstones, 589
- formation, and zinc, 374
- identification and biosynthesis in Gulf of Mexico shrimp, 871
- iodination, macrolide formation, 246
- iodo- $\gamma$ -lactone, synthesis from lactoperoxidase-catalyzed iodination, 246
- metabolism in human neutrophils, effect of phagocytosis, ionophores, 120
- metabolism in mouse testis, 401
- partial reduction, hydrazine, 871
- products from oxidation with mouse macrophage lipoxygenase, 518
- in reproductive tract of cricket, 79
- thromboxane B<sub>2</sub> synthesis from, rabbit platelets, 37
- ASCITES CELLS**, Ehrlich, elongation, desaturation, fatty acids, 893
- AUTOLYSIS**, hepatic lysosomes, lipolytic activity, 796
- AUTOXIDATION**, fats, 279
- methyl linoleate, 279
- methyl linolenate, 279
- AY-9944**, inhibition, sterol reductases, rat liver microsomes, 755

## B

- BACTERIA**, human intestine, 7 $\alpha$ -hydroxylation of cholesterol, 670
- lipid sugars, estimation, 372
- BEEF**, muscle lipid extraction and fractionation, 365
- trans* fatty acid content by capillary column GLC, 260
- BILAYERS**, phosphatidylcholine, thermodynamic properties, 604
- BILE**, rat, secretion of bile acids, lipids, clofibrate, tiadenol, 732
- BILE ACID METABOLISM**, effect of dietary chenodeoxycholic acid in rat, 228
- BILE ACIDS**, assay, GLC, 732
- assay, 3-2-hydroxysteroid dehydrogenase, 732
- chemical synthesis of potential metabolites, 863
- rat, effect of candidin, 423
- excretion, rat bile, clofibrate, tiadenol, 732

- fecal excretion, rat, 433
- intestinal cholesterol uptake, mixed micelles, 881
- intraluminal, metabolism by humans, 670
- rat, effect of 4-0-methylasochlorin, 433
- synthesis in rat liver, effect of 4-0-methylasochlorin, 433
- BIOHYDROGENATION**, cholesterol, intestinal bacterial 7 $\alpha$ -hydroxylase, 670
- BIOMEMBRANES**, thyroid control, 328
- BIVALVES**, freshwater, steroid synthesis, metabolism, 663
- BOROXYDRIDE**, sodium, reduction, 3-keto triterpenes, 775
- BOVINE CEREBROSIDES**, molecular species, 855
- BRAIN**, chick, cholesterol metabolism, 552
- human, *trans* fatty acids, 920
- microsomal membrane-bound fatty acids, elongation, 790
- rat, cholesterol metabolism, 389
- rat, CMP-N-acetylneuraminic acid:asialo-GM1 sialtransferase activity, 72
- rat, developing, fatty acid desaturation, elongation, *trans* fatty acids, 920
- rat, microsomal membrane, fatty acid metabolism, 705
- BRASSICASTEROL**, capillary GLC, TMS derivatives, 694
- BREAST**, human, adenocarcinoma, cholesterol content, phospholipid profile, 876
- BUFFALO MILK FAT**, triglyceride composition, stage of lactation, effect, 155
- BUTTER OIL**, dietary, effect on rabbit platelet composition, function, 165
- BUTYLATED HYDROXYTOLUENE**, inhibition of sulfite-induced lipid peroxidation, 189

## C

- CALCIUM**, effect on triphosphoinositide extraction, myoblasts, chick embryo, 691
- CALF**, fetal, lipoprotein characterization, size and composition, 240
- newborn, lipoprotein characterization, size and composition, 240
- CAMPESTANOL**, capillary GLC, TMS derivatives, 694
- $\Delta^7$ -CAMPESTENOL, capillary GLC, TMS derivatives, 694
- CAMPESTEROL**, capillary GLC, TMS derivatives, 694
- CANCER**, dietary hydrogenated fat, 703
- human tissues, tumors, phospholipid profiles, cholesterol content, 876
- CANDICIDIN**, effect on sterol metabolism in rat, 423
- liver, serum cholesterol, hamster, 835
- CARBOHYDRATE**, dietary, high and low levels, effect on VLDL, LDL, HDL, level of TG and cholesterol, 93
- CARBON TETRACHLORIDE**, lipid peroxidation, hepatocyte, lipoprotein secretion, malonaldehyde production, 823
- metabolites, covalent binding to hepatocyte proteins, 823
- CARDIOLIPIN**, content of dermatophytes, effect of stage of growth, 20
- mouse testis, fatty acid profile, 940
- pigeon liver, fatty acid profile, 700

- rat liver mitochondria, 328
- CASEIN, dietary, effect on serum cholesterol and lipoprotein composition in rabbit, 114
- dietary, rabbit, effect on weight gain, food intake, 114
- CASTRATION, and lipid metabolism, zinc-deficient rat, 454
- CELL CULTURE, nerve cells, 293
- CERAMIDE AMINOETHYL PHOSPHONATE, content in freshwater mollusk, seasonal changes, 109
- CERAMIDES, molecular species, benzoyl, *p*-nitrobenzoyl, HPLC, 855
- molecular species, egg yolk sphingomyelins, bovine cerebroside, 855
- CERAMIDE STRUCTURE, sphingomyelin, human milk fat globule membrane, 726
- CERAMIDE: UDP-GLUCOSE GLUCOSYLTRANSFERASE, assay, two-phase-liquid scintillation, 764
- CEREBROSIDES, bovine, molecular species, 855
- CHAULMOGRIC acid, incorporation into complex lipids in mycobacteria, 146
- CHENODEOXYCHOLATE, and biliary phosphatidylcholine arachidonate in cholesterol gallstone patients, 589
- methyl-3-cathylate, synthesis, NMR, 683
- CHENODEOXYCHOLIC ACID, conversion to ursodeoxycholic acid, 863
- dietary, effect on cholesterol, bile acid metabolism in rat, 228
- fecal excretion, effect of dietary chenodeoxycholic acid in rat, 228
- CHERRY, seed oil, conjugated octadecatrienoic fatty acids, 546
- CHICK, brain and liver, cholesterol metabolism, 552
- hepatocytes, albumin-bound linoleate, suppression of fatty acid synthesis, 207
- Chlamydomonas reinhardtii*, sterols and fatty acids of flagella, 133
- CHLORINATION, water, effect on rat liver lipids, 336
- trans*-1,4-bis(2-CHLOROBENZYLAMINOMETHYL)-CYCLOHEXANE DIHYDROCHLORIDE. See AY-9944
- 6-CHLORO-4-HYDROXYCHROMAN-2-CARBOXYLIC ACID, lactone, synthesis, 30
- CHLOROPEROXYBENZOIC ACID, epoxidation of unsaturated phosphatidylcholine, 781
- CHLOROQUINE, inhibition of cholesterol synthesis in rat hepatocytes, 472
- CHLORPROMAZINE, plasma LCAT inhibition, total, esterified cholesterol, 815
- CHOLELITHIASIS, lyso-PC-acyltransferase, acyl CoA hydrolase, gallbladder, liver, 714
- prairie dog model, 714
- $\Delta^5,^{22}$ -CHOLESTADIEN-3 $\beta$ -OL, chromatography, oxidation, reduction, UV spectra, 755
- synthesis, rat liver 755
- $\Delta^5,^{7,^{22}}$ -CHOLESTADIEN-3 $\beta$ -OL, reduction by rat liver microsomes, 755
- CHOLESTEROL, adenocarcinoma, human tissues, 876
- analysis by GLC, 87
- biliary, in cholesterol gallstone patients, 589
- biohydrogenation, bacterial 7 $\alpha$ -hydroxylase activity, 670
- biosynthesis, amino acids, hydroxycitrate inhibition, 739
- biosynthesis by rat hepatocytes, inhibition by chloroquine, 472
- content in alga, 276
- content in human erythrocyte membranes, 946
- content in wild and cultivated oysters, 276
- in Crustacea, effect of temperature, 418
- detection, TLC, nondestructive reagent, 769
- dietary, cholesterologenesis regulation, hamster liver, prostate, 835
- dietary, effect on lipoprotein lipase activity in guinea pig, 380
- esterification in guinea pig gallbladder mucosa, 930
- esterification in *Phytophthora cactorum*, 1
- esters in rat, effect of polyestradiol, 449
- excretion, rat bile, clofibrate, tiadenol, 732
- fecal excretion, effect of dietary chenodeoxycholic acid in rat, 228
- fibroblast growth, replacement by *trans*-22-dehydrocholesterol, 943
- hamster serum, dietary cholesterol, clofibrate, candidin, 835
- high density lipoprotein, effect of diet, 93
- 7 $\alpha$ -hydroxylase, rat hepatic, age-strain variation, 87
- 7 $\alpha$ -hydroxylase, rat liver, effect of 4-0-methylascocochlorin, 433
- incorporation, esterification in fungus, 744
- intestinal uptake, phospholipid vesicles, mixed micelles, 881
- kangaroo, sheep and beef meat, 626
- $\alpha$ -lipoprotein, electrophoretic assay, 903
- liver, age-strain variation in rat, 87
- liver, content and effect of clofibrate and analogs, 30
- liver, hamster, dietary cholesterol, clofibrate, candidin, 835
- metabolism in chick brain and liver, 552
- metabolism, effect of dietary chenodeoxycholic acid in rat, 228
- metabolism, freshwater bivalves, 663
- metabolism by *Phytophthora cactorum*, 142
- metabolism in rat, effect of 4-0-methylascocochlorin, 433
- metabolism in rat, effect of polyestradiol, 449
- plasma lipoproteins, chromatographic determination, 609
- rat, effect of candidin, 423
- rat brain, metabolism, 389
- rat liver, effect of ethanol and vitamin E, 52
- rat liver endoplasmic reticulum, 525
- rat serum, effect of 4-0-methylascocochlorin, 433
- rat serum lipoprotein fractions, effect of retinoic acid supplementation, 496
- rat testis, and zinc deficiency, 454
- serum, dietary *trans* fatty acids, 703
- serum, fasted rat, clofibrate, chroman derivatives, 903
- serum, level, effect of clofibrate and analogs, 30
- serum, rabbit, effect of dietary casein, 114
- serum, rat, age-strain variation, 87
- serum, ratio of total to HDL cholesterol, effect of  $\alpha$ -tocopherol, 223
- serum, Zucker rat, age-related changes, 841
- synthesis from acetate in oyster, 234
- synthesis, human fibroblasts, 677
- synthesis in rabbit brush border, 397
- synthesis, rat hepatic, from acetate and mevalonate,

- age-strain variations, 87  
 total, esterified, plasma, lidocaine, chlorpromazine treatment, 815  
 uptake in fungi, 384  
 uptake, interconversion in *Phytophthora cactorum*, 1  
 VLDL, LDL, HDL, effect of amount of casein in rabbit, 114
- CHOLESTEROGENESIS**, regulation, dietary cholesterol, hamster liver, prostate, 835
- CHOLESTERYL ESTERASE**, activity in platelets of hypercholesterolemic rabbit, 37
- CHOLESTERYL ESTER HYDROLASE**, *Fusarium oxysporum*, purification and characterization, 125  
 substrate specificity in *Fusarium oxysporum*, 125
- CHOLESTERYL ESTERS**, content of liver, plasma, of rats fed various diets, 43  
 detection by TLC, nondestructive reagent, 769  
 egg yolk, isolation by preparative TLC, 15  
 fatty acid profile, rat, mesenteric panniculitis, 199  
 formation, guinea pig gallbladder mucosa, 930  
 human skin fibroblasts, incorporation of [<sup>14</sup>C]-fatty acids, 173  
 hydrolysis in *Phytophthora cactorum*, 1  
 mouse testis, fatty acid profile, 940  
 plasma lipoproteins, chromatographic determination, 609  
 rabbit platelets, fatty acid profile, control and hypercholesterolemia, 37  
 rat liver, effect of ethanol and vitamin E, 52  
 rat liver microsomes, incorporation, isomeric fatty lipids, 647  
 rat plasma and liver, FA profile, effect of diet, 43  
 separation using hydroxyalkoxypropyl-Sephadex, 1  
 sheep placenta, effect of gestational age, incorporation of stearic or linoleic acids, 68  
 uptake, interconversion in *Phytophthora cactorum*, 1  
 [<sup>14</sup>C]-, [<sup>3</sup>H]CHOLESTERYL ESTER, synthesis, 1
- CHOLIC ACID**, fecal excretion, effect of dietary chenodeoxycholic acid in rat, 228  
 hydroxylation, human intestine metabolism, 670
- CHOLINE**, incorporation of phospholipids, human fibroblasts, herpes virus, 655
- CHOLINE PHOSPHOTRANSFERASE**, rat liver, and zinc deficiency, 454
- CHONDRILLASTEROL**, capillary CLC, TMS derivatives, 694
- CHROMAN DERIVATIVES**, hypolipidemia, fasted rats, diet, 903
- CHROMATOGRAPHY**, CHROMA-ROD, lipids of kangaroo meat, 626
- CHROMATOGRAPHY**, COLUMN, alumina, for purification of neutral lipids, 133  
 Bio-Gel P-150, liver microsomes, trout, 211  
 cocoa bean, 577  
 fungal lipids, 628  
 isolation of phosphatidylcholine hydroperoxides, 427  
 purification of rat liver lysosomal phosphodiesterase, 149  
 Sephadex, isolation of sterol ester hydrolase, 125  
 silicic acid, yeast cell lipids, 411  
 sterols, 755
- CHROMATOGRAPHY**, COLUMN, ARGENTATION, separation of oyster sterols, 234  
 separation of sterol acetates, 276
- CHROMATOGRAPHY**, GAS LIQUID, alcohols and fatty acids of *Clostridium butyricum*, 601  
 alcohols and sterols of wax esters, 355  
 analysis of fecal bile acids and neutral steroids, 228  
 analysis of oyster sterols, 234, 276  
 autooxidation products of methyl linolenate, 439  
 bile acids, 433, 732  
 bile acids and cholesterol, 589  
 cholesterol, 433  
 cholesterol determination, 87  
 cholesterol from rat liver membranes, 525  
 cocoa bean lipids, 577  
 crayfish phospholipid fatty acids, 341  
 dioxomethylated, phenolic antioxidant A274, 82  
 for fatty acid methyl esters of buffalo milk fat, 155  
 for fatty acid methyl esters of flagella, 133  
 for fatty acid methyl esters from lipids of freshwater mollusks, 109  
 fatty acid methyl esters, polar, neutral lipids, skin fibroblast, 173  
 fatty acids, 614  
 fatty acids in biliary phosphatidylcholine, 589  
 fatty acids of cricket reproductive tissue, 351  
 fatty acids, dicarboxylic, hydroxy, royal jelly, 912  
 fatty acids of kangaroo meat, 626  
 fatty acids of mouse testis cells, 401  
 fatty acids on OV-275-packed columns, 468  
 fatty acids in phospholipids of rat liver mitochondria, 328  
 fatty acids of rat liver, 336  
 fatty acids from rat liver membranes, 525  
 fatty acids of rat liver phospholipids, 541  
 fatty acids in rat platelet phospholipids, 583  
 fatty acids of soybean phosphatidylcholine, 427  
 fatty acids of *Trypanosoma cruzi*, 623  
 fatty acids of yeast cells, 411  
 human fecal steroids, 670  
 hydrocarbons, 628  
 hydrocarbons of red fire ant, 485  
 identification of arachidonic acid in cricket reproductive tract, 79  
 of methyl esters, 20  
 methylhydroxystearates of hydroperoxides, 189  
 methyl monohydroperoxy eicosatetraenoate isomer, 98  
 9-(4-methoxyphenyl)xanthene, 82  
 milk fatty acids, 286  
 peanut oil diglycerides, 508  
 peanut oil fatty acids, 508  
 phospholipid fatty acids, 293  
 punicic acid, 558  
 rat urine ethyl esters, dodecylcyclohexane injection, 882  
 soybean cotyledon fatty acids, 298  
 sterols in fungi, 384  
 for steryl ester fatty acids of *Phytophthora cactorum*, 1  
 triterpene alcohols, 775  
 trout fatty acids, 593
- CHROMATOGRAPHY**, GAS LIQUID/CAPILLARY, conjugated octadecatrienoic fatty acids in seed oils, 546  
 trans fatty acids in foods, 260  
 fatty acids of human brain, 920  
 menhaden oil fatty acids, 461

- milk fatty acids, 286
- oxidation products of arachidonic acid, 518
- plant sterols, 306
- plasma fatty acids, 374
- separation of  $\alpha$ -tocopherol diastereomers, 268
- sponge fatty acids, 631
- TMS-sterols, epimers, 694
- $\alpha$ -tocopherol diastereomers, 268
- CHROMATOGRAPHY, GAS LIQUID/MASS SPECTRAL**, of bile acid methyl and TMS derivatives, 77
- prostaglandin  $E_3$ , rat kidney, selective ion monitoring, 800
- CHROMATOGRAPHY, GAS LIQUID RADIO**, furan fatty acids, 360
- (Z,Z)-6,9-heptacosadiene, 810
- hydroxy acids, dihydroxy alcohols, 721
- radiochemical purity determination, 15
- rat fetus fatty acids, 479
- CHROMATOGRAPHY, HIGH PRESSURE LIQUID**, S-adenosylhomocysteine and S-adenosylmethionine, 561
- of arachidonic acid, lactoperoxidase iodination products, 246
- ceramide molecular species, 855
- cholesterol and cholesteryl esters of plasma lipoproteins, 609
- conjugated octadecatrienoic fatty acids in seed oils, 546
- fungal lipids, 628
- hydroperoxy-cyclic peroxides, 439
- methyl monohydroperoxy eicosatetraenoate isomer, 98
- molecular species of phosphatidic acid-dimethyl, from PC, 761
- oxidation products of arachidonic acid, 518
- products of iodination of docosahexaenoic acid, 323
- purification of hydroxy eicosatetraenoates, 120
- purification of phospholipids, 58
- rat liver phospholipids, 541
- rumen apo-HDL, 927
- separation of VLDL apoproteins, 250
- wax esters, 355
- CHROMATOGRAPHY, LIQUID GEL**, Lipidex 5000, purification of prostaglandin extracts, 800
- CHROMATOGRAPHY, REVERSE-PHASE**, with hydroxyalkoxypropyl-Sephadex, cholesteryl esters, 1
- sterols of *Phytophthora cactorum*, 142
- CHROMATOGRAPHY, THIN LAYER**, of arachidonic acid, lactoperoxidase iodination products, 246
- autooxidation products of linolenate, 439
- of bile acid methyl esters, 77
- ceramide derivatives, 855
- cholesterol,  $\beta$ -amylin, esters, glycosides, 744
- of clofibrate and synthetic drugs, 30
- cocoa bean lipids, 577
- crayfish lipids, 341
- fatty acid, alcohol, hydroxylation products, 721
- fatty acid methoxy-bromomercuri-adducts, 461
- freshwater mollusk, separation of lipids, 109
- hepatoma cell lipids, 315
- hydrocarbons of red fire ant, 485
- isolation of human skin fibroblast neutral and polar lipids, 173
- isolation of oyster sterols, 234
- isolation of sulfite-induced peroxidation products, 189
- lipid components of royal jelly, 912
- lipids, detection, nondestructive reagent, 769
- lipids from mesenteric panniculitis fat tissue, 199
- long-chain alcohols of *Clostridium butyricum*, 601
- mouse testis lipids, 940
- muscle lipid, 365
- ovine placenta lipids, 68
- peanut oil triacylglycerols, 508
- phospholipids, 298
- for phospholipids in mitochondrial membrane, 102
- punicic acid, 558
- for purification of flagella dimethyl sterols, 133
- rat brain lipids, 705
- rat fetus lipids, 479
- rat liver lipids, 336, 541
- rat liver phospholipids, 336
- separation of neutral and polar lipids in human neutrophils, 120
- separation of sterol and steryl acetates, 1
- sponge lipid, 631
- for sterols, anaerobic *Saccharomyces cerevisiae*, 195
- $\alpha$ -tocopherolquinone, rat liver, 777
- vegetable oil unsaponifiables, 306
- wax esters, 355
- yeast cell lipids, 411
- CHROMATOGRAPHY, THIN LAYER, ARGENTATION**, buffalo milk fat triglycerides, 155
- fatty acid methyl esters, 133
- fatty acids of *Trypanosoma cruzi*, 623
- shrimp fatty acids, 871
- sterols, 663
- triterpene alcohols, acetates, 775
- CHROMATOGRAPHY, THIN LAYER, RADIO**, fungal lipids, 628
- CLONASTEROL**, capillary GLC, TMS derivatives, 694
- CLOFIBRATE**, hypolipidemia, fasted rats, diet, 903
- lipids, bile acids, secretion in bile, 732
- liver, serum cholesterol, hamster, 835
- related drugs, antilipidemic activity in rat, 30
- synthesis and activity, related drugs, 30
- Clostridium butyricum*, metabolism of long-chain alcohols, 601
- COCKROACH**, American, biosynthesis of (Z,Z)-6,9-heptacosadiene, 810
- COCOA BEAN**, tissue culture and lipid changes during maturation, 577
- COLON**, human, adenocarcinoma, cholesterol content, phospholipid profile, 876
- rat, effect of fat and microflora on enzyme levels, 183
- COLOSTRUM**, triglyceride composition in buffalo, 155
- COLZA OIL**, heated, lymphatic absorption of oxidation products by rat, 9
- CORN OIL**, dietary, effect on HDL, triglyceride fatty acids, 93
- dietary, effect on lipogenesis in rat liver and adipose tissue, 568
- dietary, effect on phosphatidate synthesis, phosphatase, rat heart and liver, 23
- dietary, effect on rabbit platelet composition, function, 165

- COTYLEDONS, placental, lipid extraction and desaturase assays, 68  
 soybean, fatty acid saturation, 298  
 COW, milk branched-chain acids, 286  
*Crassostrea virginica*, sterol biosynthesis, 234  
 sterols, effect of dietary phytosterols, 276  
 CRAYFISH, phospholipid fatty acids, effect of temperature, 341  
 CRICKET, fatty acids of reproductive tissue, 351  
 male house, field, arachidonic acid in reproductive tract, 79  
 CRUSTACEA, temperature adaption and lipid composition, 418  
 CUMENE HYDROPEROXIDE, lipid peroxidation, hepatocyte, lipoprotein secretion, malonaldehyde production, 823  
 CYCLIC AMP, dibutyl, effect on lipogenesis in chick liver cells, 207  
 CYCLIC MONOMERIC ACID, assay, 9  
 CYCLOARTENONE. See triterpenes, 3-keto  
 CYCLOHEXANE RING, fatty acid, mitochondrial hydroxylation, 882  
 CYCLOHEXENACETURIC ACID, rat urine, dodecyl-cyclohexane injection, 882  
 CYCLOHEXYLACETIC ACID, metabolism, rat, 882  
 CYCLOPENTENYL FATTY ACIDS, incorporation into complex lipids, mycobacteria, 146  
 CYCLOPROPENOID FATTY ACIDS, effect on trout liver microsomal proteins, 211  
*Cyclops strenus*. See Crustacea  
 CYSTIC FIBROSIS, and dietary zinc, 374  
 CYTOCHROME B<sub>5</sub>, rat liver, small intestine, colon, effect of diet, microflora, 183  
 CYTOCHROME P<sub>450</sub>, rat liver, small intestine, colon, effect of diet, microflora, 183  
 subcellular distribution, vitamin E and EFA deficiency, 137

## D

*Daphnia magna*. See Crustacea

- 22-DEHYDROCAMPESTEROL, capillary GLC, TMS derivatives, 694  
 22-DEHYDROCHOLESTEROL, *cis*, *trans*, uptake, toxicity, mouse fibroblast cells, 943  
 content in wild and cultivated oysters, 276  
 25-DEHYDROCHONDRIOLASTEROL, capillary GLC, TMS derivatives, 694  
 DEHYDROGENASE, glucose-6-phosphate, activity in rat lung, effect of exposure to nitrogen dioxide, 64  
 6-phosphogluconate, activity in rat lung, effect of exposure to nitrogen dioxide, 64  
 7-DEHYDROPORIFERASTEROL, content in alga flagella, 133  
 25-DEHYDROSPINASTEROL, capillary GLC, TMS derivatives, 694  
 DEHYDROGENATION, cholesterol, freshwater bivalves, 663  
 DERMATOPHYTES, phosphatide and fatty acid, effect of age, 20  
 DESATURASE,  $\Delta_9$ , fatty acyl, *trans* unsaturated fatty acids, 647  
 DESATURASE ACTIVITY,  $\Delta_9$ ,  $\Delta_6$ , placental effect of gestational age, 68  
 DESATURATION,  $\Delta^9$ , fatty acids, Ehrlich ascites cells, 893  
 fatty acids, developing rat brain, *trans* fatty acids, 920  
 fatty acids, rat brain microsomal membranes, 705  
 $\Delta_6$ , linoleic acid, rat mammary tissue, zinc deficiency, 771  
 oleate, in soybean cotyledon, 298  
 palmitic acid, rat lung, 767  
 unsaturated fatty acids, shrimp microsomes, 871  
 DESMOSTEROL, content in wild and cultivated oysters, 276  
 conversion to 24-methylencholesterol, anaerobic *Saccharomyces cerevisiae*, 195  
 synthesis from acetate in oyster, 234  
 DIABETES, and lipids in rat liver endoplasmic reticulum, 525  
 DIACYLGLYCEROLS, content in freshwater mollusk, seasonal changes, 109  
 GLC-mass spectrometry, 508  
 DIFFERENTIAL SCANNING CALORIMETRY, triolein-tripalmitin phase behavior, 805  
 DIGALACTOSYL-DIGLYCERIDE, spinach, purification by HPLC, 58  
 DIGESTION, fat, absorption, monoglyceride-water system, liquid-crystalline phase, 749  
 DIGITONIN, treatment of hepatocytes, release of acetyl-CoA carboxylase, 207  
 DIGLYCERIDE LIPASE, activity in platelets of hypercholesterolemic rabbit, 37  
 DIGLYCERIDES, acetate incorporation, adipocytes, cell size, obesity, 830  
 human skin fibroblasts, incorporation [<sup>14</sup>C] fatty acids, 173  
 neutrophil content of arachidonic acid, effect of phagocytosis, ionophores, 120  
 22, 23-DIHYDROBRASSICASTEROL, capillary GLC, TMS derivatives, 694  
 DIHYDROPEROXIDES, of phosphatidylcholine, 427  
 DIHYDROXYACETONE, dietary, prevents alcoholic fatty liver in rat, 43  
 DIHYDROXYOCTADECATRIENOATES, separation and characterization, 439  
 13,15-DIMETHYLHEPTACOSANE, synthesis and purification, 485  
 4-DIMETHYLSTEROLS, in vegetable oils, 306  
 4,4'-DIMETHYLSTEROLS, synthesis from acetate in oyster, 234  
 in vegetable oils, 306  
 DIPHOSPHATIDYLGLYCEROL, degradation, rat liver lysosomal enzyme, 149  
*Diplocyclos palmatus* L., fatty acid profile, 558  
 source of punicic acid, 558  
*Diplodom patagonicus*, freshwater mollusk, lipid and fatty acid profile, seasonal changes, 109  
 See also mollusk, freshwater  
 DNA, synthesis in hepatoma cells, 315  
 DOCOSAHEXAENOIC ACID, in vitro iodination, 323  
 4,7,10,13,16,19-DOCOSAHEXAENOIC ACID, metabolism in mouse testis, 401  
 4,7,10,13,16-DOCOSAPENTAENOIC ACID, metabolism in mouse testis, 401  
 1,11-DODECANEDIOL, from 1-dodecanol, frog liver microsomes, 721  
 1,12-DODECANEDIOL, from 1-dodecanol, frog liver microsomes, 721  
 1-DODECANOL, hydroxylation, frog liver micro-



somes, 721  
 DODECYLCYCLOHEXANE, metabolism, rat, 882  
 DOG, plasma LCAT, chlorpromazine, lidocaine inhibition, 815

## E

EC 1.1.1.34. See 3-hydroxy-3-methylglutaryl-CoA reductase  
 EC 1.11.1.7. See lactoperoxidase  
 EC 2.1.1.17. See phosphatidylethanolamine methyltransferase  
 EC 3.1.1.3. See lipoprotein lipase  
 EGG PHOSPHATIDYLCHOLINE, purification by HPLC, 58  
 EGG YOLK, lipids, incorporation of *trans*-12- vs *cis*-9-octadecenoates, 15  
   sphingomyelins, molecular species, 855  
 EHRlich ASCITES CELLS, elongation, desaturation, fatty acids, 893  
 5,8,11,14,17-EICOSAPENTAENOIC ACID, hydrazine reduction, 461  
 EICOSATETRAENOIC ACID, monohydroperoxide, preparation, analysis by HPLC, 98  
 5,11,14-EICOSATRIENOIC ACID, in cricket reproductive tissue, 351  
 ELAIDATE, positional specificity in rat fetus lecithin, 479  
 [<sup>14</sup>C]ELAIDATE, incorporation by rat fetus, 479  
 ELECTRON MICROSCOPY, human skin fibroblasts, effect of fatty acid supplements, 173  
 ELECTROPHORESIS, continuous flow; isolation, hepatic lysosomes, 796  
 ELONGATION, fatty acids, brain microsomes, 790  
   fatty acids, developing rat brain, *trans* fatty acids, 920  
   fatty acids, Ehrlich ascites cells, 893  
   unsaturated fatty acids, shrimp microsomes, 871  
 ENDOPEROXIDE, metabolites, effect of ethanol in rat platelets, 583  
 ENDOPLASMIC RETICULUM, lipid properties and diabetes, 525  
   rat liver, phospholipids, 541  
 ENTHALPY, triglyceride mixtures, 805  
*Epidermophyton floccosum*, phosphatide and fatty acid content, effect of age, 20  
 EPOXIDATION, phosphatidylcholine, 1-palmitoyl-2-oleoyl, chloroperoxybenzoic acid, 781  
 EPOXIDE HYDROLASE, microsomal, cytosolic, hydration, epoxidized PC, 9, 10-epoxystearic acid, 781  
 EPOXY-HYDROXYOCTADECADIENOATES, separation and characterization, 439  
 9,10-EPOXYSTEARIC ACID, hydration, microsomal, cytosolic epoxide hydrolase, 781  
 ERGOSTANOL, capillary GLC, TMS derivatives, 694  
 Δ<sup>2</sup>-ERGOSTANOL, capillary GLC, TMS derivatives, 694  
 ERGOSTEROL, content in alga flagella, 133  
   supports growth, anaerobic *Saccharomyces cerevisiae*, 195  
 ERUCIC ACID, dietary, effect on phosphatidate synthesis, phosphatase, in rat heart and liver, 23  
 ERUCOYL-CoA, rate of acylation of glycerol 3-phosphate, effect of diet, 23  
 ERYTHROCYTES, human, membranes, isolation, lipid composition, 946

rabbit, plasma, phosphatidylcholine exchange, 937  
*Escherichia coli*, infection, intestinal steroid metabolism, human, 670  
 ESSENTIAL FATTY ACID DEFICIENCY, fatty acid desaturation, rat lung, 767  
   rat, desaturation, incorporation isomeric fatty acids, 647  
   rats, refed EFA, prostaglandins, water intake, urine, 849  
   subcellular distribution, cytochrome P-450, glutathione peroxidase, 137  
 ESSENTIAL FATTY ACIDS, metabolism in trout, 593  
   metabolism, and zinc, 374  
 ESTERIFICATION, cholesterol, β-amylin, fungus, 744  
   cholesterol, freshwater bivalves, 663  
   cholesterol, plasma LCAT, 815  
 ETHANE EXHALATION, effect of exposure to nitrogen dioxide in rats, 64  
 ETHANOL, effect on formation of endoperoxide metabolites in rat platelets, 583  
   pentane expiration in fed rats, 52  
 ETHANOLAMINE, incorporation phospholipids, human fibroblasts, herpes virus, 655  
 ETHERS, diacylglycerol, content in freshwater mollusk, seasonal changes, 109  
 ETHYL 6-CHLOROCHROMAN-2-CARBOXYLATE.  
   See chroman derivatives  
 ETHYL *cis*-6-CHLORO-4-HYDROXYCHROMAN-2-CARBOXYLIC ACID, synthesis, 30  
 24-ETHYL-5,22-CHOLESTADIENOL, quantitation of epimers by NMR spectroscopy, 203  
 24-ETHYLCHOLESTA-5,22-DIENOL, content in wild and cultivated oysters, 276  
 24-ETHYLCHOLESTEROL, content in alga, 276  
   content in wild and cultivated oysters, 276  
   quantitation of epimers by NMR spectroscopy, 203  
 ETHYL-6-PHENYLCHROMAN-2-CARBOXYLATE.  
   See chroman derivatives  
 EXTRACTION, lipid, from human neutrophils, 120  
   of lipid from muscle tissue, 365

## F

FAT CELLS, metabolism in mouse, 475  
 FAT DIGESTION, absorption, monoglyceride-water system, liquid-crystalline phase, 749  
 FATS, autooxidation, 279  
   hydrogenated, dietary *trans* fatty acids, human tissues, 703  
   hydrogenated, dietary *trans* fatty acids, serum cholesterol, cancer, 703  
   methyl oleate, 279  
 FATTY ACID PROFILE, biliary phosphatidylcholine in cholesterol gallstone patients, 589  
   of buffalo milk fat triglycerides, effect of stage of lactation, 155  
   crayfish phospholipids, 341  
   cricket reproductive tissue, 351  
   cricket, reproductive tract, 79  
 Crustacea, 418  
*Diplocyclos palmatus* L. seed oil, 558  
 flagella and whole cells of alga, 133  
 freshwater mollusk, habitat, food, temperature, 685  
 freshwater mollusk, seasonal variation, 109  
 human skin fibroblasts, effect of fatty acid supple-

- ment, 173
- kangaroo, sheep and beef meat, 626
- kidney, hypertensive rats, dietary fat, 866
- lipid classes in maturing cocoa beans, 577
- lipid components, royal jelly, 912
- mouse testis cells, 401
- nerve cell phospholipids, 293
- neutral lipids, fat, mesenteric panniculitis, 199
- peanut oil and *sn*-1, -2 and -3 positions, 508
- phospholipids of *Clostridium butyricum*, 601
- phospholipids of liver mitochondrial membrane, effect of octadecenoate isomers, 102
- phospholipids from rabbit platelets, aorta, liver, effect of diet, 165
- phospholipids of rat liver mitochondria, 328
- phospholipids in rat platelets, 583
- phospholipids, triglycerides, cholesterol esters, mouse testis, 940
- pigeon liver phospholipids, 700
- rabbit platelet phospholipids and cholesterol esters, 37
- rat hepatic endoplasmic reticulum, 525
- rat liver microsomes, 328
- rat liver mitochondria phospholipids, 336
- rat liver phosphatidylcholines, 336
- rat liver phosphatidylethanolamines, 336
- rat liver triglycerides, 336
- rat liver phospholipid fractions, 541
- rat mammary gland, milk, Zn deficiency, 771
- rat plasma and liver, TG, PL, CE; effect of diet, 43
- seed oils containing octadecatrienoic fatty acids, 546
- sphingomyelin, human milk fat globule membrane, 726
- sponge phospholipids, 631
- triglycerides, HDL, effect of diet, 93
- TG, rat adipose tissue, effect of octadecenoate isomers, 102
- trout lipid fractions, 593
- yeast mutant phospholipids, 411
- yeast mutant steryl esters, 411
- FATTY ACIDS**, analysis by GLC, 468
  - biosynthesis, amino acids, hydroxycitrate inhibition, 739
  - biosynthesis in liver and adipose tissue, 568
  - biosynthesis by rat hepatocytes, effect of chloroquine, 472
  - branched-chain, milk, 286
  - branched-chain, sponge, isolation, structure by GLC, 631
  - composition of dermatophyte phosphatides, 20
  - content in freshwater mollusk, seasonal changes, 109
  - content, human erythrocyte membranes, 946
  - crayfish phospholipids, effect of temperature, 341
  - of Crustacea, effect of temperature, 418
  - cyclohexyl, mitochondrial hydroxylation, 882
  - desaturation in developing soybean, 298
  - desaturation, elongation, developing rat brain, *trans* fatty acids, 920
  - detection by TLC, nondestructive reagent, 769
  - determination by chemical ionization-mass spectrometry, 614
  - dicarboxylic, royal jelly, GC-MS, 912
  - distribution, positional, rat brain phospholipids, 705
  - elongation, brain microsomes, 790
  - free, fatty acid profile, fat, mesenteric panniculitis, 199
  - [<sup>14</sup>C] furan, synthesis, 360
  - GLC relative response on OV-275-packed columns, 468
  - hydroxy, royal jelly, GC-MS, 912
  - incorporation, desaturation, rat brain microsomal membrane, 705
  - isomeric, positional distribution, rat liver microsomal lipids, 647
  - long-chain, peanut oil, 508
  - medium chain, yeast mutants, 411
  - membrane-bound, elongation, 790
  - monounsaturated, synthesis, Ehrlich ascites cells, 893
  - nonesterified, acetate incorporation, adipocytes, cell size, obesity, 830
  - nonesterified, intestinal cholesterol uptake, mixed micelles, 881
  - nonesterified, rat liver microsomes, incorporation of isomeric fatty acid, 647
  - phosphatidylcholine, packing in bilayers, 604
  - rat liver mitochondria, effect of hypothyroidism, 328
  - saturated, desaturation, rat lung, 767
  - saturated,  $\Delta^9$  desaturation, Ehrlich ascites cells, 893
  - synthesis by *Trypanosoma cruzi*, 623
  - thin layer chromatography of methoxy-bromomercuri-adducts, 461
  - trans*, content in foods, analysis by capillary column GLC, 260
  - trans*, desaturation, incorporation, rat liver microsomes, 647
  - trans*, dietary fats, human tissues, 703
  - trans*, dietary, serum cholesterol, cancer, 703
  - trans*, fatty acid desaturation, elongation, developing rat brain, 920
  - trans*, GLC on OV-275-packed columns, 468
  - trans*, human brain lipids, 920
  - trans*, positional specificity in rat fetal lipids, 479
  - urea fractionation, 286
- FATTY ACID SYNTHESIS**, hepatocytes, suppression, depolymerization acetyl-CoA carboxylase filaments, 207
- FATTY ACYL DESATURASE**,  $\Delta 6$ , rat mammary tissue, Zn deficiency, 771
- FATTY ALCOHOL**, content in freshwater mollusk, seasonal changes, 109
- FATTY LIVER**, alcoholic, prevention in rat using dietary supplements, 43
- FAST FOODS**, *trans* fatty acid content by capillary column GLC, 260
- FECAL BILE ACID**, extraction, analysis by GLC, 228
- FECAL NEUTRAL STEROIDS**, extraction, analysis by GLC, 228
- FECEs**, human, steroid profile, 670
- FERRIC CHLORIDE**, lipid peroxidation, hepatocyte, lipoprotein secretion, malonaldehyde production, 823
- FIBROBLASTS**, human diploid, lipogenesis, ketone bodies, glucose, glutamine, 677
- human embryo, phospholipid synthesis, 655
- human skin, neutral lipid accumulation, effect of fatty acid supplement, 173
- mouse uptake, toxicity, *cis*, *trans*-22-dehydrocholesterol, 943
- FIRE ANT**, hydrocarbons in postpharyngeal glands of mated queens, 485
- FLAGELLA**, *Chlamydomonas reinhardi*, sterols and fatty acids, 133

isolation, extraction and analysis in *C. reinhardi*, 133  
 FLAX, hydroperoxide isomerase, 377  
 FOOD, effect on freshwater mollusk lipids, 685  
 FREE FATTY ACID, human skin fibroblasts, incorporation [ $^{14}$ C] fatty acids, 173  
 neutrophil content of arachidonic acid, effect of phagocytosis, ionophores, 120  
 FUCOSTEROL, content in alga, 276  
 content in wild and cultivated oysters, 276  
 supports growth, anaerobic *Saccharomyces cerevisiae*, 195  
 FUNGI, lipid composition, 628  
 metabolism, cholesterol,  $\beta$ -amylin, 744  
 sterol uptake by, 384  
 [ $^{14}$ C]FURAN FATTY ACIDS, synthesis, 360  
*Fusarium oxysporum*, sterol ester hydrolase, isolation and characterization, 125  
 FUSIDIC ACID, regulation of 3-hydroxy-3-methylglutaryl CoA reductase, 397

## G

GALACTOLIPID, mouse brain myelin, 502  
 GALACTOSYLKERAMIDE, human milk fat globule membrane, sphingoid base profile, 726  
 GALLBLADDER, guinea pig, mucosa, cholesterol esterification, 930  
 mucosa, lyso PC-acyltransferase, acyl CoA hydrolase cholelithiasis, 714  
 GALLSTONES. See cholelithiasis  
 GANGLIOSIDE, monosialo-, GM1b, enzymatic synthesis in rat brain, 72  
 GESTATIONAL AGE, effect on metabolism, stearic and linoleic acids, in sheep placenta, 68  
 GHOSTS, human erythrocyte, isolation, lipid composition, 946  
 $\gamma$ -GLOBULIN, complex with peroxidized phosphatidylethanolamine, 215  
 GLUCOSE, lipogenesis, human fibroblasts, 677  
 [ $U$ - $^{14}$ C]GLUCOSE, metabolism in rat, 568  
 GLUCOSE-6-PHOSPHATASE, assay, 525  
 in rat hepatic endoplasmic reticulum, 525  
 GLUCOSYLKERAMIDE, human milk fat globule membranes, sphingoid base profile, 726  
 GLUTAMINE, lipogenesis, human fibroblasts, 677  
 GLUTATHIONE PEROXIDASE, activity in rat lung, effect of exposure to nitrogen dioxide, 64  
 rat blood, effect of dietary vitamin E and ethanol, 52  
 subcellular distribution, vitamin E and EFA deficiency, 137  
 GLUTATHIONE REDUCTASE, activity in rat lung, effect of exposure to nitrogen dioxide, 64  
 GLYCERIDES, in Crustacea, effect of temperature, 418  
 GLYCOGEN, liver, Zucker rat, age-related changes, 841  
 GLYCOLIPIDS, cocoa beans, 577  
 estimation of sugar in, 372  
 GLYCOLIPID SYNTHETASE, assay, two-phase-liquid scintillation, 764  
 GLYCOSIDES, sterol, formation, fungus, 744  
 GLYCOSYLKERAMIDE, human milk fat globule membrane, sphingoid base profile, 726  
 GOAT, milk branched-chain acids, 286  
*Gryllus* spp. See cricket  
 GUINEA PIG, lipoprotein lipase activity, and dietary

cholesterol, 380  
 liver, biosynthesis of phosphatidylcholine, 533, 561

## H

HEART, rat, subcellular fractions, phosphatidate synthesis, phosphatase, effect of diet, 23  
 HEPATOCYTES, chick, albumin-bound linoleate, suppression fatty acid synthesis, 207  
 fatty acid synthesis, suppression, depolymerization, acetyl-CoA carboxylase filaments, 207  
 isolated, lipoprotein secretion, malonaldehyde production, chemical peroxidation, 823  
 rat, biosynthesis, fatty acids, cholesterol, from amino acids, 739  
 rat, cholesterol synthesis, 472  
 rat, fatty acid, cholesterol synthesis, from amino acids, 739  
 HEPATOMA CELLS, effect of 2-hexadecynoic acid, 315  
 lipid metabolism, 315  
 HEPATOMEGALY, Zucker rat, age-related changes, 841  
 HEPATOPANCREAS, crayfish, fatty acid metabolism, 341  
 (Z,Z)-6,9-HEPTACOSADIENE, biosynthesis, American cockroach, 810  
 NMR, radio-GLC, ozonolysis, 810  
 HERPES SIMPLEX VIRUS, phospholipid synthesis, human embryo, 655  
 2-HEXADECYNOIC ACID, effect on 7288C hepatoma cells, 315  
 HIGH DENSITY LIPOPROTEIN (HDL), subfraction, concentration and effect of  $\alpha$ -tocopherol, 223  
 HUMAN MESENTERIC PANNICULITIS, fat tissue, abnormal composition, 199  
 HUMAN NEUTROPHILES, metabolism of arachidonic acid, effect of phagocytosis, ionophores, 120  
 HUMAN PLASMA LIPOPROTEIN, cholesterol and cholesteryl ester determination, 609  
 HUMAN SKIN FIBROBLASTS, neutral lipid accumulation, effect of fatty acid supplement, 173  
 HUMAN SKIN LIPIDS, wax esters, 355  
 HUMANS, obese, normolipidemic, HDL and LDL cholesterol, effect of diet, 93  
 HYDRATION, epoxidized fatty acids, epoxide hydrolase, 781  
 HYDRAZINE, partial reduction of fatty acids, 871  
 HYDROCARBONS, content in freshwater mollusk, seasonal changes, 109  
 fire ant, identification by GLC, CI- and EI-mass spectrometry, 485  
 unsaturated, cuticular lipids, synthesis, American cockroach, 810  
 HYDROLASE, epoxide, microsomal, cytosolic, hydration, epoxidized PC, 9,10-epoxystearic acid, 781  
 sterol ester, *Fusarium oxysporum*, isolation and characterization, 125  
 HYDROLYSIS, epoxidized phosphatidylcholine, phospholipase A<sub>2</sub>, 781  
 HYDROPEROXIDE, determination, thiobarbituric acid reaction, 98  
 isomerase, in flax, 377  
 isomers from oxidation of phosphatidylcholine, 427

linoleic acid, GLC-MS as methylhydroxystearates, 189  
 from linolenate, secondary products, 439  
 thermal decomposition products, 279  
**HYDROQUINONE**, inhibition of sulfite-induced lipid peroxidation, 189  
**L-3-HYDROXYBUTYRATE**, lipogenesis, human fibroblasts, 677  
**25-HYDROXYCHOLESTEROL**, inhibition of sterol biosynthesis, mouse fibroblasts, 943  
**HYDROXYCITRATE**, inhibition fatty acid, cholesterol synthesis, rat hepatocytes, 739  
**HYDROXY-CYCLIC PEROXYOCTADECADIENOLATES**, separation and characterization, 439  
**1-HYDROXYCYCLOHEXYLACETIC ACID**, glycine conjugate, in rat urine, 882  
**HYDROXYEICOSATETRAENOATE**, arachidonate content of neutrophils, effect of phagocytosis, ionophores, 120  
 preparation from arachidonic acid, HPLC analysis, 120  
 synthesis, 518  
**HYDROXY FATTY ACIDS**, production, effect of diet in rabbit platelets, 165  
**7 $\alpha$ -HYDROXYLASE**, activity in liver microsomes, effect of dietary chenodeoxycholic acid in rat, 228  
**HYDROXYLATION**,  $\omega$ - and ( $\omega$ -1), 1-dodecanol laurate, frog liver microsomes, 721  
 mitochondrial, cyclohexyl fatty acid, 882  
**7 $\alpha$** , steroids, human intestine, 670  
**11-HYDROXYLAURATE**, from lauric acid, frog liver microsomes, 721  
**12-HYDROXYLAURATE**, from lauric acid, frog liver microsomes, 721  
**3-HYDROXY-3-METHYLGLUTARYL-CoA REDUCTASE**, activity in rat liver microsomes, effect of dietary chenodeoxycholic acid, 228  
 effect of temperature on specific activity, 552  
 human fibroblasts, cholesterol, 677  
 inhibition, ATP, Mg<sup>2+</sup>, 934  
 liver microsomal, clofibrate, chroman derivatives, 903  
 mitochondrial, not cholesterol precursors, 739  
 mouse fibroblasts, 943  
 rat hepatic, age-strain variation, 87  
 rat liver, and candidin treatment, 423  
 rat liver, small intestine, colon, effect of diet, microflora, 183  
 rat microsomal, circadian cycle, buffer effects, 934  
 regulation by fusidic acid in rabbit intestinal mucosa, 397  
**HYDROXYOCTADECATRIENOATES**, separation and characterization, 439  
**S-HYDROXY-1,3,6-PYRENETRISULFONIC ACID**, TLC, nondestructive reagent, 769  
**HYPERCHOLESTEROLEMIA**, type II, HDL and LDL, cholesterol, effect of diet, 93  
**HYPERINSULINEMIA**, Zucker rat, age-related changes, 841  
**HYPERLIPIDEMIA**, Zucker rat, age-related changes, 841  
**HYPERLIPIDEMIC** rat, sucrose, WR-1339-induced, effect of clofibrate analogs, 30  
**HYPERPROTEINEMIA**, Zucker rat, age-related

changes, 841  
**HYPERTENSION**, rat, kidney, prostaglandin synthesis, dietary menhaden oil, 866  
**HYPERTRIGLYCERIDEMIA**, type IV, HDL and LDL cholesterol, effect of diet, 93  
**HYPOCHLORITE**, effect on rat liver lipids, 336  
**HYPOCHOLESTEROLEMIA**, induced in rat by 4-0-methylascobchlorin, 433  
**HYPOLIPIDEMIA**, rat, fasted, diet, clofibrate, chroman derivatives, 903  
**HYPOLIPIDEMIC DRUGS**, lipids, bile acids, excretion in bile, 732  
**HYPOTHYROIDECTOMY**, rat, effect on liver mitochondrial lipids, 328

## I

**INSULIN**, effect on lipid properties of rat hepatic endoplasmic reticulum, 525  
**INTESTINAL MUCOSA**, rabbit, regulation of 3-hydroxy-3 methylglutaryl CoA reductase, 397  
**INTESTINE**, rat, cholesterol uptake, phospholipid vesicles, mixed micella, 881  
 rat, zinc deficiency and lipid metabolism, 454  
 small, rat, effect of fat and microflora on enzyme levels, 183  
**IODINATION**, lactoperoxidase-catalyzed, arachidonic acid, macrolide formation, 246  
**14-iodo-15-HYDROXYEICOSATRIENOIC ACID**,  $\omega$ -lactone, synthesis from lactoperoxidase-catalyzed iodination, 246  
**15-iodo-14-HYDROXYEICOSATRIENOIC ACID**,  $\omega$ -lactone, synthesis from lactoperoxidase-catalyzed iodination, 246  
**IODOLACTONE**, by iodination of docosahexaenoic acid, 323  
**IONOMYCIN**, effect on arachidonic acid metabolism, human neutrophils, 120  
**IONOPHORES**, effect on arachidonic acid metabolism in human neutrophils, 120  
*Isochrysis*, sp., sterol composition, 276  
**ISOFLUCOSTEROL**, synthesis from acetate in oyster, 234  
**ISOMERASE**, hydroperoxide, in flax, 377

## J

**JOJOBA SEED**, developing, biosynthesis of wax esters, 897

## K

**KANGAROO**, meat, lipid composition, 626  
 **$\gamma$ -KETOLS**, formation from linolenic acid hydroperoxides, 377  
**KETONE BODIES**, lipogenesis, human fibroblasts, 677  
**3-KETO-TRITERPENES**, Sal tree seed fat, 775  
**KIDNEY**, medulla, cortex, hypertensive rat, fatty acid profile, dietary fat, 866  
 medulla, cortex, hypertensive rat, prostaglandin synthesis, dietary menhaden oil, 866  
 rat, medulla, prostaglandin E<sub>3</sub>, GC-MS, dietary fish oil, 800

## L

- LACTATION**, stage, effect of triglyceride composition of milk fat in buffalo, 155
- LACTOPEROXIDASE**, iodination of docosahexaenoic acid, 323
- LACTOPEROXIDASE-CATALYZED IODINATION**, arachidonic acid, macrolide formation, 246
- Lagenidium callinectes*. See fungi
- Lagenidium giganteum*. See fungi
- [2-<sup>3</sup>H] **LANOSTEROL**, conversion to cholesterol in oyster, 234
- LAURIC ACID**, hydroxylation, frog liver microsomes, 721
- LECITHIN**, rat fetus, *trans*-fatty acid positional specificity, 479
- LECITHIN-CHOLESTEROL ACYLTRANSFERASE** (LCAT) activity, age-strain variation, 87
- activity in rat, effect of polyestradiol, 449
- assay, 449
- plasma, chlorpromazine inhibition, 815
- rat serum, clofibrate, chroman derivatives, 903
- LEUCINE**, precursors, fatty acids, cholesterol, rat hepatocytes, 739
- specifically labeled, conversion to acetyl CoA, acetoacetate, 739
- LEYDIG CELLS**, mouse testis, 401
- LIDOCAINE**, plasma LCAT inhibition, total, esterified cholesterol, 815
- LINWEAVER-BURK** plots, sterol ester hydrolase of *Fusarium oxysporum*, 125
- LINOLAIDATE**, positional specificity in rat fetus lecithin, 479
- [<sup>14</sup>C] **LINOLAIDATE**, incorporation by rat fetus, 479
- LINOLEATE**, autooxidation, 279
- effect on lipogenesis, chick liver cells, 207
- effect of thyroid on conversion to arachidonate, 328
- LINOLEIC ACID**, conversion to (Z,Z)-6,9-heptacosadiene, American cockroach, 810
- $\Delta 6$  desaturation, rat mammary tissue, zinc deficiency, 771
- elongation, desaturation, shrimp, 871
- incorporation into mollusk lipids, 685
- metabolism and zinc, 374
- peroxidizing, lysozyme binding, 347
- LINOLENATE**, autooxidation, 279
- autooxidation products, chromatography, 439
- hydroperoxides,  $\gamma$ -ketols from, 377
- incorporation into mollusk lipids, 685
- sulfite-induced peroxidation, 189
- LINOLENYL ALCOHOL**, utilization by *Clostridium butyricum*, 601
- LIPASE**, diglyceride, activity in platelets of hypercholesterolemic rabbit, 37
- lipoprotein, guinea pig, and dietary cholesterol, 380
- triglyceride, autolysed hepatic lysosomes, 796
- LIPID PEROXIDATION**, ethanol-fed rats, determination by pentane expiration, 52
- sulfite-induced, 189
- LIPID PROFILE**, freshwater mollusk, habitat, food, temperature, 685
- human erythrocyte membranes, 946
- LIPIDS**, egg yolk, incorporation of *trans*-12- vs *cis*-9-octadecenoates, 15
- excretion, rat bile, clofibrate, tiadenol, 732
- muscle, class separation, 365
- muscle extraction, 365
- total content of liver, plasma, in rats fed various diets, 43
- LIPOGENESIS**, adipocytes, obesity and cell size, 830
- human fibroblasts, inhibition by LDL cholesterol, 677
- human fibroblasts from ketone bodies, glucose, glutamine, 677
- rat liver and adipose tissue, 568
- LIPOLYSIS**, triglycerides, phospholipids, autolysed of hepatic lysosomes, 796
- LIPOPROTEIN**,  $\alpha$ , cholesterol electrophoretic assay, 903
- $\alpha$ , fasted rat, clofibrate, chroman derivatives, 903
- composition, effect of dietary casein in rabbit, 114
- effect of  $\alpha$ -tocopherol, 223
- fetal, newborn and adult steer, developmental changes, 240
- high density, apo-, human serum, fractionation, HPLC, 927
- high density, cholesterol and protein content, effect of dietary casein in rabbit, 114
- high density, concentration, effect of diet, starvation, 93
- high density, concentration, effect of  $\alpha$ -tocopherol, 223
- high density, effect of retinoic acid in rat, 496
- high density, size, concentration, composition of fetal, newborn and adult steer, 240
- high density, trout serum, 593
- isolation, effect of diet in rabbit, 114
- low density, cholesterol and protein content, effect of dietary casein in rabbit, 114
- low density, concentration, effect of diet, starvation, 93
- low density, effect of retinoic acid in rat, 496
- low density, inhibition cholesterol synthesis, human fibroblasts, 677
- low density, inhibition HMG CoA reductase, human fibroblasts, 677
- low density, size, concentration, composition of fetal, newborn and adult steer, 240
- low density, trout serum, 593
- plasma, determination of cholesterol and cholesteryl esters, 609
- rat serum, and retinoic acid supplementation, 496
- secretion, hepatocyte, lipid peroxidation, 823
- triglycerides, electrophoretic assay, 903
- trout plasma, lipid classes and fatty acids, 593
- very low density, cholesterol and protein content, effect of dietary casein in rabbit, 114
- very low density, effect of retinoic acid in rat, 496
- very low density, separation of apoproteins by HPLC, 250
- very low density, size, concentration composition of fetal, newborn and adult steer, 240
- very low density, triglyceride and cholesterol, effect of diet, 93
- very low density, trout serum, 593
- LIPOPROTEIN LIPASE**, guinea pig, and dietary cholesterol, 380
- rat tissue, effect of retinoic acid supplementation, 496

- LIPOSOMES**, in ceramide:UDP-glucose glucosyltransferase assay, 764  
 phospholipid diffusion, water content, 820  
**LIPOVITELLIN**, trout, fatty acid profile, 593  
**LIPOXYGENASE**, mouse peritoneal macrophage, action on arachidonic acid, 518  
**LIVER**, chick, cholesterol metabolism, 552  
 fatty, alcoholic, prevention in rat using dietary supplements, 43  
 frog, microsomes,  $\omega$ , ( $\omega$ -1)-hydroxylation, laurate 1-dodecanol, 721  
 hamster, cholesterologenesis, regulation by dietary cholesterol, 835  
 lysosomes, autolysis, lipolytic activity, 796  
 mitochondrial membrane, rat, incorporation of *cis*-octadecenoic acids, 102  
 phospholipase A<sub>2</sub>, hydrolysis of epoxidized PC, 781  
 pigeon, phospholipid, fatty acid profile, 700  
 rabbit, phospholipid fatty acid profile, effect of diet, 165  
 rat, biosynthesis of fatty acids, 568  
 rat, cholesterol 7 $\alpha$ -hydroxylase, 433  
 rat, cholesterol metabolism, effect of polyestradiol, 449  
 rat, content of TG, CE, PL—effect of diet, 43  
 rat, cytosol, phosphatase activity, 934  
 rat, effect of fat and microflora on enzyme levels, 183  
 rat, endoplasmic reticulum lipid properties and diabetes, 525  
 rat, enzyme activities, age-strain variation, 87  
 rat and guinea pig, biosynthesis of phosphatidylcholine, 533  
 rat and guinea pig, biosynthesis of phosphatidylcholine, 561  
 rat, HMG CoA reductase, effect of candicidin treatment, 423  
 rat, incorporation of *cis*-octadecenoic acids, mitochondrial PL, 102  
 rat, lipid changes induced by hypochlorite, 336  
 rat, lipids, effect of ethanol and vitamin E, 52  
 rat, lysine-induced fat accumulation in, 393  
 rat, lysosomal phosphodiesterase, diphosphatidylglycerol hydrolysis, 149  
 rat microsomes, HMG CoA reductase, circadian cycle, buffer effect, 934  
 rat microsomes, sterol reductases, 755  
 rat mitochondria, cytochrome P-450, glutathione peroxidase, effect of vitamin E and EFA deficiency, 137  
 rat, mitochondrial lipids, 328  
 rat, phospholipids of cell nuclear envelope and endoplasmic reticulum, 541  
 rat, subcellular fractions, phosphatidate synthesis, phosphatase, effect of diet, 23  
 rat, subcellular fractions, preparation, 454  
 rat, 2-tocopherolquinone, tocopherols, TLC, HPLC, 777  
 rat, weight, effect of clofibrate and analogs, 30  
 rat, zinc deficiency and lipid metabolism, 454  
 trout, microsomes, preparation, 211  
**LIVER CELL**. See hepatocyte  
**LIVER CHOLESTEROL**, rat, age-strain variation, 87  
**LIVER LIPIDS**, glycogen, Zucker rat, age-related changes, 841  
**LIVER MICROSOMES**, rat, assay for HMG CoA reductase, 7 $\alpha$ -hydroxylase activity, 228  
 rat, desaturation, incorporation, isomeric fatty acids, 647  
**LITHOCHOLIC ACID**, synthesis, human intestine, 670  
**LUNG**, epoxide hydrolase, hydration, epoxidized lipids, 781  
 human, adenocarcinoma, cholesterol content, phospholipid profile, 876  
 phospholipase A<sub>2</sub>, hydrolysis of epoxidized PC, 781  
 rat, enzyme activities, effect of exposure to nitrogen dioxide, 64  
 rat, fatty acid desaturation, 767  
**LUPENONE**. See triterpenes, 3-keto  
**LYMPH**, rat, absorption of oxidation products from heated oil, 9  
**LYSINE**, and fatty liver in rat, 393  
**LYSOPHOSPHATIDES**, content in freshwater mollusk, seasonal changes, 109  
**LYSOPHOSPHATIDYLCHOLINE**, cholelithiasis, etiology, 714  
 content of dermatophytes, effect of growth stage, 20  
 mouse testis, fatty acid profile, 940  
 pigeon liver, fatty acid profile, 700  
 transacylation, gall bladder mucosa, 714  
**LYSOPHOSPHATIDYLCHOLINE ACYLTRANSFERASE**, gall bladder, liver, cholelithiasis, 714  
**LYSOSOMAL PHOSPHODIESTERASE**, rat liver, diphosphatidylglycerol hydrolysis, 149  
**LYSOSOMES**, hepatic, autolysis, lipolytic activity, 796  
 hepatic, isolation, continuous flow electrophoresis, 796  
**LYSOZYME**, polymerization, and peroxidizing linoleic acid, 347

## M

- MACROLIDES**, formation from lactoperoxidase-catalyzed iodination of arachidonic acid, 246  
**MACROPHAGES**, mouse peritoneal, preparation, 518  
**MAGNESIUM**, inhibition, rat liver HMG CoA reductase, 934  
**MALONALDEHYDE**, production, isolated hepatocyte, chemical peroxidation, 823  
**MALONDIALDEHYDE**, complex with albumin, preparation, 215  
**MALONYL COENZYME A**, incorporation, fatty acids, brain microsomes, 790  
**MAMMARY DYSPLASIA**, human, effect of  $\alpha$ -tocopherol, 223  
**MAMMARY TISSUE**, rat,  $\Delta$ 6 desaturation, linoleic acid, zinc deficiency, 771  
 rat, lipids, fatty acid profile, zinc deficiency, 771  
**MAN**, plasma LCAT, chlorpromazine, lidocaine inhibition, 815  
**MARIGOLD**, seed oil, conjugated octadecatrienoic fatty acids, 546  
**MEMBRANE**, brain, microsomal, bound fatty acids, elongation, 790  
 human erythrocytes, isolation, lipid composition, 946  
 microsomal, rat brain, fatty acid metabolism, 705  
 sponge, phospholipids, sterols, fatty acid profile, 631  
**MENADIONE**, lipid peroxidation, hepatocyte, lipoprotein secretion, malonaldehyde production, 823  
**MENHADEN OIL**, dietary, prostaglandin synthesis, hypertensive rat kidney, 866



- dietary, rat kidney postaglandin E<sub>3</sub>, GC-MS, 800  
fatty acids, thin layer chromatography, 461  
MESENTERIC PANNICULITIS, human fat tissue, abnormal composition, 199  
METHIONINE, incorporation in sterols, freshwater bivalves, 663  
METHOXY-BROMOMERCURI ADDUCTS, of fatty acids, fractionation by TLC, 461  
4-0-METHYLASCOCHLORIN, effect on cholesterol metabolism in rat, 433  
24-METHYL-5,22-CHOLESTADIENOL, quantitation of epimers by NMR spectroscopy, 203  
24-METHYL-5,22(25)-CHOLESTADIENOL, content in alga, 276  
24-METHYLCHOLESTA-5,22-DIENOL, content in alga, 276  
content in wild and cultivated oysters, 276  
24-METHYLCHOLESTEROL, content in alga, 276  
content in wild and cultivated oysters, 276  
quantitation of epimers by NMR spectroscopy, 203  
24 $\beta$ -METHYLCHOLESTEROL, biosynthesis, anaerobic *Saccharomyces cerevisiae*, 195  
24-METHYLENE CHOLESTEROL, content in alga, 276  
content in wild and cultivated oysters, 276  
synthesis from acetate in oyster, 234  
synthesis, metabolism, anaerobic *Saccharomyces cerevisiae*, 195  
13-METHYLHEPTACOSANE, synthesis and purification, 485  
(Z,Z)-20-METHYL-5,9-HEXACOSADIENOIC ACID. See fatty acid profile, sponge  
11-METHYLOCTADECANOIC ACID. See fatty acid profile, sponge  
(Z,Z)-22-METHYL-5,9-OCTACOSADIENOIC ACID. See fatty acid profile, sponge  
4-METHYLUMBELLIFERYLPYROPHOSPHATE, inhibition of lysosomal phosphodiesterase, 149  
MICELLES, mixed, cholesterol uptake, rat intestine, 881  
MICHAELIS-MENTON CONSTANT, sterol ester hydrolase, 120  
MICROSOMES, brain, membrane-bound fatty acids, elongation, 790  
frog liver,  $\omega$ , ( $\omega$ -1)-hydroxylation, laurate 1-dodecanol, 721  
liver, trout, preparation, 211  
membranes, rat brain, fatty acid metabolism, 705  
platelet, preparation and enzyme assays, 37  
preparation from soybean cotyledons, 298  
rat heart and liver, isolation, 23  
rat liver, cytochrome P-450, glutathione peroxidase, effect of vitamin E and EFA deficiency, 137  
rat liver, desaturation, incorporation, isomeric fatty acids, 647  
rat liver, fatty acids, 328  
rat liver, HMG CoA reductase, circadian cycle, buffer effects, 934  
rat liver sterol reductases, 755  
soybean, oleate desaturation, 298  
*Microsporum cookie*, phosphatide and fatty acid content, effect of age, 20  
MILK, cow, branched-chain fatty acids, 286  
goat, branched-chain fatty acids, 286  
rat, fatty acid profile, zinc deficiency, 771  
MILK FAT, buffalo, triglyceride composition, effect of stage of lactation, 155  
MITOCHONDRIA, fungi, sterol deposition in, 384  
rat heart and liver, isolation, 23  
rat liver, cytochrome P-450, glutathione peroxidase, effect of vitamin E and EFA deficiency, 137  
rat liver, hydroxylation, cyclohexyl fatty acid, 882  
rat liver lipids, 328, 336  
MITOCHONDRIAL MEMBRANE, liver, incorporation of *cis*-octadecenoic acids in rat, 102  
MOLECULAR SPECIES, ceramides, benzoyl, *p*-nitrobenzoyl, HPLC, 855  
ceramides, egg yolk sphingomyelins, bovine cerebro-sides, 855  
phosphatidylcholines, HPLC, 761  
MOLLUSK, freshwater, *Diplodon patagonicus*, lipid and fatty acid composition, seasonal changes, 109  
freshwater, lipid, fatty acid profile, habitat, food, temperature, 685  
MONKEYS, fed  $\beta$ -sitosterol, identification of acidic sterols in feces, 77  
skin lipid wax esters, 355  
MONOACYLGLYCEROLS, content in freshwater mollusk, seasonal changes, 109  
MONOGLYCERIDES, aqueous systems, fat digestion, absorption, liquid-crystalline phase, 749  
arachidonate content of neutrophils, effect of phagocytosis, ionophores, 120  
MONOHYDROPEROXIDES, of phosphatidylcholine, 427  
MONOMERIC ACID, cyclic, assay, 9  
4-MONOMETHYLSTEROLS, synthesis from acetate in oyster, 234  
in vegetable oils, 306  
MONOOLEIN, water/fat, phase equilibria, 749  
MOUSE, brain myelin subfractions, lipid composition, 502  
fat cell metabolism, 475  
nerve cell phospholipids, 293  
peritoneal macrophage lipoxigenase, action on arachidonic acid, 518  
testis, long-chain polyenoic acid metabolism, 401  
MUCOSA, guinea pig gall bladder, cholesterol esterification, 930  
 $\alpha$ -MURICHLIC ACID, fecal excretion, effect of dietary chenodeoxycholic acid in rat, 228  
MUSCLE, lipid extraction, 365  
MUSTARD OIL, dietary, effect on phosphatide synthesis, phosphatase, rat heart and liver, 23  
*Mycobacterium vaccae*, growth, effect of chaulmoogric acid, 146  
metabolism of chaulmoogric acid, 146  
MYCELUM, dermatophytes, lipid extraction, 20  
*Phytophthora cactorum*, lipid content, 1  
MYELIN, fractionation and lipid analysis, 502  
lipid composition and age in mouse brain, 502  
subfractions isolated from mouse brain, lipid composition, 502  
MYOBLASTS, chick embryo, calcium and triphosphoinositide extraction, 691

## N

- NEOPLASTIC CELLS, antioxidant, 9-(4-hydroxyphenyl) xanthene, contaminant, 82  
NERVE CELLS, phospholipid fatty acids, 293  
NEUROBLASTOMA, phospholipid fatty acids, 293

NEUTRAL LIPIDS, accumulation, human skin fibroblasts, effect of fatty acid supplement, 173  
 egg yolk, incorporation of *trans*-12- vs *cis*-9-octadecenoates, 15  
 rat brain microsomes, fatty acid incorporation, 705  
 NEUTROPHILS, human, metabolism of arachidonic acid, effect of phagocytosis, ionophores, 120  
 NITROGEN DIOXIDE, exposure effect on enzyme activities, rat lung, 64  
 lipid peroxidation in rats, measured by ethane exhalation, 64  
 24-NORCHOLESTA-5,22-DIENOL, content in wild and cultivated oysters, 276  
 NYSTATIN-RESISTANT YEAST MUTANTS, fatty acids, 411

## O

OBESITY, and fat cell metabolism in mouse, 475  
 human, normolipidemic, HDL and LDL cholesterol, effect of diet, 93  
 Zucker rat, adipocyte size, lipogenesis, 830  
 Zucker rat, age-related biochemical, morphological changes, 841  
 5,9,23-OCTACOSATRIENOIC ACID. See fatty acid profile, sponge  
 OCTADECACIS-9,trans-11,cis-13-TRIENOIC ACIDS. See punicic acid  
 OCTADECADIENOIC ACID, isomeric, incorporation, rat liver microsomal lipids, 647  
 OCTADECATRIENOIC ACIDS, conjugated isomers in seed oils, 546  
 cis-9-OCTADECENOATE-10-<sup>14</sup>C, incorporation by egg yolk lipids, 15  
 trans-12-OCTADECENOATE-12(13)-<sup>3</sup>H, incorporation by egg yolk lipids, 15  
 OCTADECENOIC ACID, isomeric, desaturation, incorporation, rat liver microsomes, 647  
 isomeric, metabolites, incorporation, rat liver microsomes, 647  
 5-OCTADECENOIC ACID, in cricket reproductive tissue, 351  
 cis-OCTADECENOIC ACIDS, incorporation, liver mitochondrial PL, adipose TG, 102  
 OCTANOATE, incorporation, rat lung, fatty acid precursor, 767  
 OILS, heated, oxidation product absorption in rat lymph, 9  
 vegetable, identification by sterol composition, 306  
 vegetable, *trans* fatty acid content by capillary column GLC, 260  
 OLEATE, autooxidation, 279  
 desaturation, soybean cotyled., 298  
 transfer from CoA to PC in soybean cotyledons, 298  
 OLEIC ACID, conversion to (Z,Z)-6,9-heptacosadiene, American cockroach, 810  
 monolein, water phase equilibria, 749  
 monounsaturated, synthesis, Ehrlich ascites cells, 893  
 OLEOYL-CoA, and oleate desaturation in soybean cotyledons, 298  
 OROTIC ACID, urinary, rat, 393  
 OVINE, placenta, metabolism of stearic and linoleic acids, 68  
 OXIDATION, cholesterol, freshwater bivalves, 663  
 fatty acids, and protein polymerization, 347  
 periodate manganase, sterols, 755

phosphatidylcholine, with singlet oxygen, 427  
 OXIDATION PRODUCTS, from heated oils, absorption by rat lymph, 9  
 nonvolatile assay, 9  
 OXYGEN, singlet, phosphatidylcholine oxidation, 427  
 OYSTER, sterol biosynthesis, 234  
 sterols, effect of dietary phytosterols, 276  
 OZONOLYSIS, fatty acids from cricket, 351  
 (Z,Z)-6,9-heptacosadiene, 810

## P

PALMITIC ACID,  $\Delta^9$  desaturation, Ehrlich ascites cells, 893  
 endogenous, exogenous, desaturation, rat lung, 767  
 PANNICULITIS, mesenteric, human fat tissue, abnormal composition, 199  
 trans-PARINARIC ACID, probe to determine phase transition of PC analog, 75  
 PARSLEY SEED OIL, refined, preparation, 102  
 PEANUT OIL, stereospecific analysis of genetic varieties, 508  
 PENTANE, expiration in alcohol-fed rats, effect of vitamin E, 52  
 [2-<sup>14</sup>C] 9-(5-PENTYL-3,4-DIMETHYL-2-NONANOATE, synthesis, 360  
 PEROXIDATION, lipid, CC1<sub>4</sub>, FeCl<sub>3</sub>, cumene hydroperoxide, lipoprotein secretion, malonaldehyde production, 823  
 lipid, ethanol-fed rats, determination by pentane expiration, 52  
 lipid, induced by exposure to nitrogen dioxide in rats, 64  
 lipid, sulfite-induced, 189  
 phospholipid, 215  
 and protein polymerization, 347  
 PEROXIDE, determination, thiobarbituric acid reaction, 98  
 PEROXIDIZED PHOSPHOLIPID, covalent binding to protein, 215  
 PHAGOCYTOSIS, effect on arachidonic acid metabolism in human neutrophils, 120  
 PHASE EQUILIBRIA, monoglycerides-water-fat, 749  
 PHASE TRANSITION, phosphatidyl-N-isopropyl-ethanolamine, 75  
 PHENYLACETURIC ACID, rat urine, dodecylcyclohexane injection, 882  
 PHOSPHATASE, phosphatide, rat liver and heart subfractions, effect of diet, 23  
 rat liver cytosol activity, 934  
 PHOSPHATIDATE SYNTHESIS, rat liver, heart subfractions, effect of diet, 23  
 PHOSPHATIDIC PHOSPHATASE, determination, 454  
 PHOSPHATIDIC ACID, dimethyl, molecular species, HPLC, 761  
 PHOSPHATIDYLCHOLINE, arachidonate content of neutrophils, effect of phagocytosis, ionophores, 120  
 bilayers, thermodynamic properties, 604  
 biliary, structure in cholesterol gallstone patients, 589  
 biosynthesis in rat and guinea pig liver, 533, 561  
 content of dermatophytes, effect of growth stage, 20  
 content in freshwater mollusk, seasonal changes, 109  
 D<sub>2</sub>O, liposomes, phospholipid diffusion, water content, 820  
 dimethyl, molecular species, HPLC, 761

- egg, liposomes, phospholipid diffusion, water content, 820
- egg, purification by HPLC, 58
- egg yolk, isolation by preparative TLC, 15
- epoxidized, phospholipase A<sub>2</sub>, epoxide hydrolase, 781
- exchange, erythrocytes, plasma, rabbit, 937
- hydrolysis, autolysed hepatic lysosomes, 796
- inhibition of liver lysosomal phosphodiesterase, 149
- liver mitochondrial membrane, fatty acid profile, effect of diet, 102
- mitochondrial membrane, stereospecific analysis, 102
- molecular packing and stability in the gel phase, 555
- mouse testis, fatty acid profile, 940
- and oleate desaturation in soybean cotyledons, 298
- oxidation with singlet oxygen, 427
- <sup>32</sup>P, <sup>3</sup>H-16:0, <sup>14</sup>C-18:2 labeling, 937
- peroxidized, complex with albumin, 215
- pigeon liver, fatty acid profile, 700
- rabbit liver, aorta, platelets, fatty acid profile and effect of diet, 165
- rabbit platelets, fatty acid profile, control and hypercholesterolemia, 37
- rat liver microsomes, distribution of isomeric fatty acids, 647
- sponge, fatty acid profile, 631
- synthesis, [1-<sup>14</sup>C]arachidonic acid, 2-position, 37
- synthesis, human fibroblasts, herpes virus, 655
- thin layer chromatography, 298
- PHOSPHATIDYLCHOLINE ANALOG**, phosphatidyl-N-isopropylethanolamine, phase transition, 75
- PHOSPHATIDYLETHANOLAMINE**, 631
- arachidonate content of neutrophils, effect of phagocytosis, ionophores, 120
- content of dermatophytes, effect of growth stage, 20
- content in freshwater mollusk, seasonal changes, 109
- egg yolk, isolation by preparative TLC, 15
- hydrolysis, autolysed hepatic lysosomes, 796
- liver mitochondrial membrane, fatty acid profile, effect of diet, 102
- methylation, 561
- mitochondrial membrane, stereospecific analysis, 102
- mouse testis, fatty acid profile, 940
- peroxidized, complex with albumin, 215
- peroxidized, complex with  $\gamma$ -globulin, 215
- pigeon liver, fatty acid profile, 700
- rabbit liver, aorta, platelets, fatty acid profile and effect of diet, 165
- rabbit platelets, fatty acid profile, control and hypercholesterolemia, 37
- rat liver microsomes, distribution of isomeric fatty acids, 647
- synthesis, human fibroblasts, herpes virus, 655
- PHOSPHATIDYLETHANOLAMINE METHYLTRANSFERASE**, assay, 561
- inhibition by S-adenosylhomocysteine, 561
- physical properties, 533
- PHOSPHATIDYLGLYCEROL**, sponge, fatty acid profile, 631
- PHOSPHATIDYLINOSITOL**, content of dermatophytes, effect of growth stage, 20
- inhibition of liver phosphodiesterase, 149
- mouse testis, fatty acid profile, 940
- neutrophil content of arachidonic acid, effect of phagocytosis, ionophores, 120
- rabbit liver, aorta, platelets, fatty acid profile, effect of diet, 165
- rabbit platelets, fatty acid profile, control and hypercholesterolemia, 37
- sponge, fatty acid profile, 631
- synthesis, human fibroblasts, herpes virus, 655
- PHOSPHATIDYLMONOMETHYLETHANOLAMINE**, biosynthesis in rat and guinea pig liver, 533
- PHOSPHATIDYL-N-ISOPROPYLETHANOLAMINE**, PC analog, phase transition, 75
- PHOSPHATIDYLSERINE**, content of dermatophytes, effect of growth stage, 20
- mouse testis, fatty acid profile, 940
- peroxidized, complex with albumin, 215
- rabbit liver, aorta, platelets, fatty acid profile and effect of diet, 165
- rabbit platelets, fatty acid profile, control and hypercholesterolemia, 37
- synthesis, human fibroblasts, herpes virus, 655
- PHOSPHOCHOLINE**, 1,2-dioleoyl-*sn*-glycero-3-, purification by HPLC, 58
- PHOSPHODIESTERASE**, lysosomal, rat liver, diphosphatidylglycerol hydrolysis, 149
- PHOSPHOETHANOLAMINE**, 1-dioleoyl-*sn*-glycero-3-, purification by HPLC, 58
- PHOSPHOLIPASE A**, autolysed hepatic lysosomes, 796
- PHOSPHOLIPASE A<sub>2</sub>**, activity in platelets of hypercholesterolemic rabbits, 37
- hydrolysis of epoxidized phosphatidylcholine, 781
- PHOSPHOLIPASE C**, activity in platelets of hypercholesterolemic rabbits, 37
- autolysed hepatic lysosomes, 796
- sphingomyelin hydrolysis, structural analysis, 726
- PHOSPHOLIPID EPOXIDES**, phospholipase A<sub>2</sub> hydrolysis, hydration-epoxide hydrolase, 781
- PHOSPHOLIPID PROFILE**, adenocarcinoma, human tissues, 876
- human fibroblasts infected with herpes virus, 655
- PHOSPHOLIPID VESICLES**, cholesterol uptake, rat intestine, 881
- PHOSPHOLIPIDS**, acetate incorporation, adipocytes, cell size, obesity, 830
- cocoa beans, 577
- content in liver, plasma, of rats fed various diets, 43
- in Crustacea, effect of temperature, 418
- diffusion, liposomes, water content, 820
- detection by TLC, nondestructive reagent, 769
- egg yolk, incorporation of *trans*-12- vs *cis*-9-octadecenoates, 15
- excretion, rat bile, clofibrate, tiadenol, 732
- fatty acids, crayfish, effect of temperature, 341
- human skin fibroblasts, incorporation of [<sup>14</sup>C]-fatty acids, 173
- hydrolysis, autolysed hepatic lysosomes, 796
- hydrolysis, platelets, hypercholesterolemic rabbits, 37
- kangaroo, sheep and beef meat, 626
- liver mitochondria, incorporation of *cis*-octadecenoic acids in rat, 102
- marine, fatty acid and sterol profiles, TLC, 631
- mouse brain myelin, 502
- mouse testis, fatty acid profile, 940
- mycobacteria, incorporation of chaulmoogric acid, 146
- nerve cell, fatty acids, 293
- percentage composition in rabbit platelets, effect of diet, 165

- peroxidation, 215  
 peroxidized, covalent binding to protein, 215  
 pigeon liver, fatty acid profile, 700  
 purification by preparative HPLC, 58  
 rat brain microsomes, fatty acid incorporation, 705  
 rat fetus, structure, 479  
 of rat liver cell nuclear envelope and endoplasmic reticulum, separation, 541  
 rat liver endoplasmic reticulum, 525  
 rat liver microsomes, incorporation isomeric fatty acids, 647  
 rat liver microsomes, and zinc deficiency, 454  
 rat liver mitochondria, 328  
 rat plasma and liver, FA profile, effect of diet, 43  
 rat platelet, effect of feeding ethanol, 583  
 rat serum lipoprotein fractions, effect of retinoic acid supplementation, 496  
 separation from total lipids, 20  
 serum, Zucker rat, age-related changes, 841  
 synthesis, human embryo fibroblasts, herpes, 655  
 sheep placenta, effect of gestational age, incorporation of stearic or linoleic acids, 68  
 yeast cell membrane, fatty acids, 411  
**PHOSPHORUS**, content, human erythrocyte membranes, 946  
 incorporation into phospholipids, human fibroblasts, herpes virus, 655  
<sup>32</sup>P **PHOSPHORUS**, incorporation into phosphatidylcholine, in vivo exchange, 937  
**PHOTOOXIDATION**, methyl arachidonate, methylene blue sensitized, 98  
*Phytophthora cactorum*, cholesterol and cholesteryl ester uptake, interconversion, 1  
 culture medium, 1  
 metabolism of cholesterol and sitosterol; differential, 142  
 See also fungi  
**PHYTOSTEROLS**, dietary, effect on sterols of oyster, 276  
**PIGEON LIVER**, phospholipid, fatty acid profile, 700  
**PLACENTA**, ovine, metabolism of stearic and linoleic acid, 68  
**PLACENTAL COTYLEDONS**, lipid extraction and desaturase assays, 68  
**PLASMA**, cystic fibrosis patients, zinc and EFA, 374  
 lipoproteins, determination of cholesterol and cholesteryl esters; 609  
 rabbit, erythrocytes, phosphatidylcholine exchange, 937  
**PLASMA CHOLESTEROL**, esterification, LCAT, inhibition, 815  
**PLATELET AGGREGATION**, effect of diet in rabbit, 165  
**PLATELET MICROSOMES**, preparation and enzyme assays, 37  
**PLATELETS**, rabbit, hypercholesterolemic, thromboxane B<sub>2</sub> synthesis, enzyme activity, 37  
 rabbit, phospholipid fatty acid profile, effect of diet, 165  
 rabbit, phospholipid percentage composition, effect of diet, 165  
 rat, aggregation and ethanol, 583  
 rat, effect of ethanol on formation of endoperoxide metabolites, 583  
**POLYESTRADIOL**, effect on lecithin cholesterol acyl transferase activity in rat, 449  
**POLYMERIC ACIDS**, assay, 9  
**POLYMORPHISM**, triglyceride mixtures, 805  
**POMEGRANATE**, seed oil, conjugated octadecatrienoic fatty acids, 546  
**PORIFERASTEROL**, capillary GLC, TMS derivatives, 694  
 $\Delta^7$ -**PORIFERASTEROL**, capillary GLC, TMS derivatives, 694  
**PORK**, muscle lipid extraction and fractionation, 365  
**PRAIRIE DOG**, cholelithiasis model, 714  
*Procambarus clarkii*. See crayfish  
**PROMETHAZINE**, lipid peroxidation, hepatocyte, lipoprotein secretion, malonaldehyde production, 823  
 9-(2'-**PROPYLBENZENE**) **NONANOIC ACID**, absorption by rat lymph, 9  
 9-(2'-**PROPYLCYCLOHEX-4'-EN-1'-YL**) **NONANOIC ACID**, absorption by rat lymph, 9  
**PROPYL GALLATE**, lipid peroxidation, hepatocyte, lipoprotein secretion, malonaldehyde production, 823  
**PROSTACYCLIN**, production, effect of diet in rabbit aorta, 165  
**PROSTAGLANDIN E<sub>2</sub>**, radioimmunoassay, 849  
 rat platelet, effect of ethanol feeding, 583  
 water intake, urine, EFA-deficient rats, refed EFA, 849  
**PROSTAGLANDIN E<sub>3</sub>**, rat kidney, dietary fish oil, GC-MS, 800  
**PROSTAGLANDINS**, biosynthesis, kidney, hypertensive rat, dietary menhaden oil, 866  
 detection by TLC, nondestructive reagent, 769  
**PROSTATE**, hamster, cholesterologenesis, regulation, dietary cholesterol, 835  
 rat, cholesterol metabolism and candidin treatment, 423  
**PROTEINS**, polymerization and peroxidizing linoleic acid, 347  
 VLDL, LDL, HDL, effect of amount of casein in rabbit, 114  
*Pseudoanadonta complanata*. See bivalves, freshwater  
**PUNICIC ACID**, occurrence and characterization, 558  
**PYRUVATE**, dietary, prevents alcoholic fatty liver in rat, 43

## R

- RABBIT**, aorta, phospholipid fatty acid profile, effect of diet, 165  
 dietary casein effect on weight gain, food intake, 114  
 intestinal mucosa, regulation of 3-hydroxy-3-methylglutaryl CoA reductase in, 397  
 lipoproteins, effect of dietary casein, 114  
 liver, phospholipid fatty acid profile, effect of diet, 165  
 plasma LCAT, chlorpromazine, lidocaine inhibition, 815  
 platelets, hypercholesterolemic, thromboxane B<sub>2</sub> synthesis, enzyme activity, 37  
 platelets, phospholipid fatty acid profile, effect of diet, 165  
 platelets, phospholipid percentage composition, effect of diet, 165  
**RADIOIMMUNOASSAY**, prostaglandin E<sub>2</sub>, 849  
**RAINBOW TROUT**, fed cyclopropenoid fatty acids, effect on liver microsomal proteins, 211

- RAT, adipose tissue, incorporation of *cis*-octadecenoic acids, triglycerides, 102  
 brain, cholesterol, metabolism, 389  
 brain, CMP-N-acetylneuraminic acid:asialo-GM1 sialyltransferase activity, 72  
 cholesterol metabolism, effect of 4-0-methylasclochlorin, 433  
 cholesterol metabolism, effect of polyestradiol, 449  
 colon, effect of fat and microflora on enzyme levels, 183  
 fatty liver, lysine-induced, 393  
 fetal lipids, *trans*-fatty acid positional specificity, 479  
 heart subcellular fractions, phosphatidate synthesis, phosphatase, effect of diet, 23  
 hepatic endoplasmic reticulum, lipid properties and diabetes, 525  
 hepatocytes, cholesterol biosynthesis, 472  
 hyperlipidemic, effect of clofibrate and analogs, 30  
 lipid metabolism, age-strain interrelations, 87  
 liver, biosynthesis of fatty acids, 568  
 liver, biosynthesis of phosphatidylcholine, 533, 561  
 liver, content of TG, CE, PL: effect of diet, 43  
 liver, effect of fat and microflora on enzyme levels, 183  
 liver enzyme activities, age-strain variation, 87  
 liver, incorporation of *cis*-octadecenoic acids, mitochondrial PL, 102  
 liver lipids, effect of ethanol and vitamin E, 52  
 liver lipids, effect of hypochlorite, 336  
 liver, lysosomal phosphodiesterase, diphosphatidylglycerol hydrolysis, 149  
 liver microsomes, assay for HMG CoA reductase, 7 $\alpha$ -hydroxylase activity, 228  
 liver mitochondria, cytochrome P<sub>450</sub>, glutathione peroxidase, effect of vitamin E and EFA deficiency, 137  
 liver, phospholipids of cell nuclear envelope and endoplasmic reticulum, 541  
 liver, subcellular fractions, phosphatidate synthesis, phosphatase, effect of diet, 23  
 liver, subcellular fractions, preparation, 454  
 liver weight, effect of clofibrate and analogs, 30  
 lung enzyme activities, effect of exposure to nitrogen oxide, 64  
 lymphatic absorption of oxidation products from heated oil, 9  
 nerve cell phospholipids, 293  
 plasma LCAT, chlorpromazine, lidocaine inhibition, 815  
 plasma lipoprotein cholesterol and cholesteryl ester determination, 609  
 platelets, effect of ethanol on formation of endoperoxide metabolites, 583  
 serum lipoproteins, and retinoic acid supplementation, 496  
 skin lipid wax esters, 355  
 small intestine, effect of fat and microflora on enzyme levels, 183  
 sterol metabolism, and candicidin, 423  
 thyroid, effect on linoleate metabolism, 328  
 thyroid, iodination of decosahexaenoic acid, 323  
 RECTUM, human, adenocarcinoma, cholesterol content, phospholipid profile, 876  
 REDUCTASES, sterol, rat liver microsomes, 755  
 REDUCTION, H<sub>2</sub>-palladium, sterols, 755  
 REPRODUCTIVE TRACT, cricket, occurrence of arachidonic acid, 79  
 RETINOIC ACID, effect on hyperlipidemia in rats, 496  
 effect on serum lipoproteins in rats, 496  
 RIBOFLAVIN, dietary, prevents alcoholic fatty liver in rat, 43  
 RNA, synthesis in hepatoma cells, 315  
 ROYAL JELLY, composition, fatty acid profile, 912
- ## S
- Saccaromyces cerevisiae*, sterol metabolism, 195  
 See also yeast  
 SAL TREE, seed fat, 3-ketotriterpenes, 775  
*Salmo gairdneri*, fed cyclopropanoid fatty acids, effect on liver microsomal proteins, 211  
 SEED OIL, parsley, refined, preparation, 102  
 SERUM, fetal bovine, delipidation, 173  
 guinea pig, lipoprotein lipase activity, 380  
 human, APO HDL, fractionation, HPLC, 927  
 rat, cholesterol, effect of candicidin, 423  
 cholesterol, rat, age-strain variation, 87  
 cholesterol, rat, effect of 4-0-methylasclochlorin, 433  
 lipids, rat, seasonal variation, 903  
 lipids, Zucker rat, age-related changes, 841  
 lipoproteins, rat, and retinoic acid supplementation, 496  
*Shigella flexneri* infection, intestinal steroid metabolism, human, 670  
 SHORTENINGS, *trans* fatty acid content by capillary column GLC, 260  
 SHRIMP, Gulf of Mexico, arachidonic acid identification, biosynthesis, 871  
 SIALTRANSFERASE, rat brain, activity, effect of age, 72  
 SITOSTANOL, 27-carboxy-, derivatives in feces of  $\beta$ -sitosterol-fed monkeys, 77  
 7-hydroxy-, 27-carboxy-, derivatives in feces of  $\beta$ -sitosterol-fed monkeys, 77  
 SITOSTEROL, capillary GLC, TMS derivatives, 694  
 27-carboxy-, derivatives in feces of  $\beta$ -sitosterol-fed monkeys, 77  
 dietary, in monkey, identification of acidic sterols in feces, 77  
 metabolism by *Phytophthora cactorum*, 142  
 uptake in fungi, 384  
 SNAKE GOULD, seed oil, conjugated octadecatrienoic fatty acids, 546  
*Solenopsis invicta*. See fire ant  
 SOYBEAN, cotyledon, oleate desaturation, 298  
 SOYBEAN OIL, heated, lymphatic absorption of oxidation products by rat, 9  
 SPECTRA, CHEMICAL IONIZATION-MASS, fatty acids, 614  
 SPECTRA, fluorescence, of peroxidized phospholipid albumin complex, 215  
 SPECTRA, GLC, diacylglycerols, 508  
 SPECTRA, INFRARED, autooxidation products of linolenate, 439  
 of clofibrate analogs, 30  
 for determination of *trans* fatty acid content in foods, 260  
 lipid components, royal jelly, 912



- triterpene alcohols, 775  
 ursodeoxycholic acid, 683
- SPECTRA, <sup>13</sup>C MAGNETIC RESONANCE**, autoxidation products of linolenate, 439
- SPECTRA, MASS**, arachidonic acid lactoperoxidase iodination products, 246  
 ceramide, sphingomyelin, human milk fat globule membrane, 726  
 diazomethylated, phenolic antioxidant A274, 82  
 fatty acids, dicarboxylic, hydroxy, royal jelly, 912  
 N-heptadecanoyl D-sphingosine, 855  
 identification of arachidonic acid in cricket reproductive tract, 79  
 identification of fatty acid methyl esters, 109  
 identification of hydroperoxides as methyl hydroxystearates, 189  
 identification of methyl monohydroperoxy eicosatetraenoate isomers, 98  
 9-(4-methoxyphenyl)xanthene, 82  
 for sterols and fatty acid methyl esters of flagella, 133
- SPECTRA, MASS-GLC**, autoxidation products of linolenate, 439  
 branched-chain fatty acids, 286  
 derivatives of phosphatidylcholine, 427  
 hydrocarbons of red fire ant, 485  
 hydroperoxide decomposition products, 279  
 $\gamma$ -ketols, 377  
 oxidation products of arachidonic acid, 518  
 plant sterols, 306  
 products of docosahexaenoic acid iodination, 323  
 prostaglandin E<sub>3</sub>, rat kidney, 800  
 sponge fatty acids, sterols, 631  
 sterol mixtures, freshwater bivalves, 663  
 triterpene alcohols, 775
- SPECTRA, NUCLEAR MAGNETIC RESONANCE**, clofibrate analogs, 30  
 (Z,Z)-6,9-heptacosadiene, 810  
 methyl chenodeoxycholate-3-cathylate, 863  
 methyl chenodeoxycholate-3-cathylate-7-mesylate, 863  
 of phosphatidylcholine hydroperoxides, 427  
 quantitation of epimers, 203  
 triterpene alcohols, 775  
 ursodeoxycholic acid, 863
- SPECTRA, PROTON MAGNETIC RESONANCE**, of arachidonic acid, lactoperoxidase iodination products, 246  
 autoxidation products of linolenate, 439  
 products of docosahexaenoic acid iodination, 323
- SPECTRA, ULTRAVIOLET ABSORPTION**, of peroxidized phospholipid albumin complex, 215  
 assay of unsaturated sterols, 755  
 autoxidation products of linolenate, 439
- SPERMATIDS**, mouse testis, 401
- SPERMATOCYTES**, mouse testis, 401
- SPHINGOID BASE PROFILE**, glycosylceramide, human milk fat globule membrane, 726  
 sphingomyelin, human milk fat globule membrane, 726
- SPHINGOMYELIN**, arachidonic acid content in neutrophils, effect of phagocytosis, ionophores, 120  
 content in freshwater mollusk, seasonal changes, 109  
 egg yolk, molecular species, 855  
 human milk fat globule membrane, ceramide structure, 726  
 human milk fat globule membrane, fatty acid profile, 726  
 human milk fat globule membrane, sphingoid base profile, 726  
 hydrolysis, autolysed hepatic lysosomes, 796  
 mouse testis, fatty acid profile, 940  
 phospholipase C hydrolysis, structural analysis, 726  
 pigeon liver, fatty acid profile, 700  
 synthesis, human fibroblasts, herpes virus, 655
- SPHINGOMYELINASE**, autolysed hepatic lysosomes, 796
- SPINACH DIGALACTOSYL-DIGLYCERIDE**, purification by HPLC, 58
- SPINASTEROL**, capillary GLC, TMS derivatives, 694
- SPONGE**, membrane phospholipid fatty acids, sterols, 631
- SQUALENE**, synthesis from acetate in oyster, 234
- STEARIC ACID**, conversion to (Z,Z)-6,9-heptacosadiene, American cockroach, 810  
 desaturation, rat lung, 767
- STEARYL CoA DESATURASE**, rat liver, and zinc deficiency, 454
- STEER**, adult, lipoprotein characterization, size composition, 240
- STEREOSPECIFIC ANALYSIS**, phosphatidylcholine in bile of cholesterol gallstone patients, 589
- STEROIDS**, acidic, in feces of monkeys fed  $\beta$ -sitosterol, 77  
 fecal, human, GLC, 670  
 neutral, fecal, extraction, analysis by GLC, 228
- STEROL BIOSYNTHESIS**, mouse fibroblast cells, 943
- STEROL ESTER HYDROLASE**, *Fusarium oxysporum*, isolation and characterization, 125
- STEROL MIXTURES**, C-24 epimeric, quantitation by NMR, 203
- STEROL PROFILE**, sponge, TLC, 631
- STEROLS**, alkylated, sponge, 631  
 biosynthesis in oyster, 234  
 content in alga flagella, 133  
 4-dimethyl, in vegetable oils, 306  
 4,4-dimethyl, in vegetable oils, 306
- STEROLS**, enzymatic reduction, rat liver microsomes, 755  
 epimers, TMS-derivatives, fractionation, capillary GLC, 694  
 free, content in freshwater mollusk, seasonal changes, 109  
 free, esterified, fractionation, identification, synthesis, freshwater bivalves, 663  
 identification in flagella by MS, 133  
 metabolism by anaerobic *Saccharomyces cerevisiae*, 195  
 metabolism in rat, and candidin, 423  
 4-monomethyl, in vegetable oils, 306  
 mouse brain myelin, 502  
 oxygenated, effect on 3-hydroxy-3-methylglutaryl CoA reductase in rabbit intestine, 397  
 oxygenated, effect on synthesis of cholesterol in rabbit brush border, 397  
 oyster, effect of dietary phytosterols, 276  
 uptake in fungi, 384
- STERYL ESTERS**, content in freshwater mollusk, seasonal changes, 109  
 yeast cell membrane, fatty acids, 411



STIGMASTEROL, capillary GLC, TMS derivatives, 694

$\Delta^7$ -STIGMASTEROL, capillary GLC, TMS derivatives, 694

STOMACH, human, adenocarcinoma, cholesterol content, phospholipid profile, 876

SUGARS, in lipids, estimation, 372

SULFATIDE, mouse brain myelin, 502

SULFITE-INDUCED LIPID PEROXIDATION, 189  
SYNTHETASE, fatty acid, rat hepatic, age-strain variation, 87

## T

TEMPERATURE, effect on freshwater mollusk lipids, 685

TESTES, rat, zinc deficiency and lipid metabolism, 454

TESTIS, mouse, cell sorting, 401

mouse, lipids, fatty acid profile, 940

mouse, long-chain polyenoic acid metabolism, 401

*Thalassiosira pseudonana*, sterol composition, 276

*Theobroma cacao* L. See cocoa bean

THERMODYNAMICS, phosphatidylcholine bilayers, 604

THIOBARBITURIC ACID, reaction of methyl arachidonate monohydroperoxide isomers, 98

THROMBOXANE B<sub>2</sub>, biosynthesis, platelets of hypercholesterolemic rabbit, 37

production, effect of diet in rabbit platelets, 165

THROMBOXANES, detection by TLC, nondestructive reagent, 769

THYROID, control over biomembranes, 328

human, adenocarcinoma, cholesterol content, phospholipid profile, 876

rat, docosahexaenoic acid iodination, 323

rat, effect on linolenate metabolism, 328

TIADENOL, lipids, bile acids, secretion in bile, 732

TISSUE CULTURE, cocoa bean calli, 577

TMS ETHERS, derivatives of tocopherol, preparation, 268

$\alpha$ -TOCOPHEROL, effect on serum lipoproteins, mammary dysplasia, 223

inhibition of sulfite-induced lipid peroxidation, 189

separation of diastereomers by capillary column GLC, 268

*all-rac*- $\alpha$ -TOCOPHEROL, TMS derivatives, separation by capillary GLC, 268

2-*ambo*- $\alpha$ -TOCOPHEROL, TMS derivatives, separation by capillary GLC, 268

4'-*ambo*-8'-*ambo*- $\alpha$ -TOCOPHEROL, TMS derivatives, separation by capillary GLC, 268

dl- $\alpha$ -TOCOPHEROL, dietary, ethanol-fed rat, effect on expired pentane, 52

2-TOCOPHEROLQUINONE, rat liver, TLC, HPLC, 777

*trans* FATTY ACIDS, content in foods, analysis by capillary column GLC, 260

See also fatty acids, *trans*

TRIACYLGLYCEROL LIPASE, autolysed hepatic lysosomes, 796

TRIACYLGLYCEROLS, egg yolk, isolation by preparative TLC, 15

heated, lymphatic absorption of oxidation products by rat, 9

*Trichophyton mentagrophytes*, phosphatide and fatty

acid content, effect of age, 20

TRIGLYCERIDES, acetate incorporation, adipocytes, cell size, obesity, 830

adipose tissue, incorporation of *cis*-octadecenoic acids in rat, 102

content in freshwater mollusk, seasonal changes, 109

content in livers, plasma, of rats fed various diets, 43

detection by TLC, nondestructive reagent, 769

fatty acid profile, rat, mesenteric panniculitis, 199

high density lipoprotein, effect of diet in humans, 93

human skin fibroblasts, incorporation [<sup>14</sup>C] fatty acids, 173

hydrolysis, autolysed hepatic lysosomes, 796

kangaroo, sheep and beef meat, 626

in lipoproteins, electrophoretic assay, 903

liver, content, effect of clofibrate and analogs, 30

molecular weight distribution in buffalo milk, 155

mouse testis, fatty acid profile, 940

mycobacteria, incorporation of chaulmoogric acid, 146

peanut oil, stereospecific analysis, 508

neutrophils, arachidonate content of neutrophils, effect of phagocytosis, ionophores, 120

parsley seed, isolation, 102

rat fetus, *trans*-fatty acid positional specificity, 479

rat liver, effect of ethanol and vitamin E, 52

rat liver microsomes, incorporation isomeric fatty acids, 647

rat plasma and liver, FA profile, effect of diet, 43

rat serum lipoprotein fractions, effect of retinoic acid, 496

separation by thin layer chromatography, 155

serum level, effect of clofibrate and analogs, 30

serum, Zucker rat, age-related changes, 841

sheep placenta, effect of gestational age, incorporation of stearic or linoleic acids, 68

structure and atherogenic potential, 508

2,6,10-TRIMETHYL-5-TETRADECENOIC ACID. See fatty acid profile, sponge

TRIOLEIN-TRIPALMITIN, phase behavior, differential scanning calorimetry, 805

TRIPALMITIN-TRIOLEIN, phase behavior, differential scanning calorimetry, 805

TRIPHOSPHOINOSITIDE, myoblasts, chick embryo, Ca and extraction, 691

myoblasts, chick embryo, improved extraction, 691

TRITERPENE ALCOHOLS, from 3-keto-triterpenes, IR, NMR, GC-MS, argentation TLC, 775

TRITERPENES, 3-keto, Sal tree seed fat, sodium borohydride reduction, 775

TRITERPENOLS, in vegetable oils, 306

TRITON WR-1339, fed to rats, effect of clofibrate and analogs on hyperlipidemia, 30

TROUT, essential fatty acid metabolism, 593

lipoproteins, 593

liver, microsomes, preparation, 211

rainbow, fed cyclopropanoid fatty acids, effect on liver microsomal proteins, 211

*Trypanosoma cruzi*, fatty acid biosynthesis, 623

TUMOR, human tissues, phospholipid profiles, cholesterol content, 876

TUMORAL NERVE CELLS, phospholipid fatty acids, 293

TUNG OIL, conjugated octadecatrienoic fatty acids, 546

## U

- ULTRACENTRIFUGATION, lipoprotein isolation in rabbit, 114  
analytical, of fetal, newborn and adult steer lipoproteins, 240  
*Unio timidus*. See bivalves, freshwater  
UREA ADDUCTION, shrimp, fatty acids, polyene concentration, 871  
UREA FRACTIONATION, fatty acids, 286  
URINE, rat, ethyl esters, GLC, dodecylcyclohexane injection, 882  
URINE OUTPUT, EFA-deficient rats, refed EFA, 849  
URSODEOXYCHOLIC ACID, synthesis from chenodeoxycholic acid, IR, NMR, 863

## V

- VACCENIC ACID, synthesis, Ehrlich ascites cells, 893  
VEGETABLE OILS, *trans* fatty acid content by capillary column GLC, 260  
VERVETS, fed  $\beta$ -sitosterol, identification of acidic sterols in feces, 77  
VESICLES, phospholipid, cholesterol uptake, rat intestine, 881  
VIRUS, herpes simplex, phospholipid synthesis, human embryo, 655  
VITAMIN E, deficiency, subcellular distribution, cytochrome P-450, glutathione peroxidase, 137  
dietary, in ethanol-fed rat, effect on expired pentane, 52  
VITELLOGENIN, trout, fatty acid profile, 593

## W

- WATER INTAKE, EFA-deficient rats, refed EFA, 849  
WAX ESTERS, biosynthesis, developing jojoba seed, 897  
skin lipids of human, rat and monkey, 355  
thin layer and high pressure liquid chromatography, 355

## XYZ

- XANTHENE, 9-(4-hydroxyphenyl)-, as phenolic antioxidant, A274, 82  
X-RAY DIFFRACTION, monoglyceride-water-fat systems, 749  
YEAST, cell membranes, preparation, 411  
mutants, nystatin-resistant, fatty acids, 411  
YOLK, egg, lipids, incorporation of *trans*-12- vs *cis*-9-octadecenoates, 15  
ZINC, deficiency,  $\Delta 6$  desaturation, linoleic acid, rat mammary tissue, 771  
deficiency, and glycerolipid synthesis in rat, 454  
deficiency, and lipids in rat microsomal membranes, 454  
and essential fatty acid metabolism, 374  
ZUCKER RAT, age-related biochemical, morphological changes, 841  
ZYMOSAN, opsonized, effect on arachidonic acid metabolism, human neutrophils, 120

